

View Online at <https://aerobasegroup.com/nsn/5310-00-740-3378>

Hole Diameter:

Between 0.970 inches and 0.990 inches

Outside Diameter:

Between 1.370 inches and 1.390 inches

Internal Prebent Key Length:

Between 0.368 inches and 0.408 inches

Internal Prebent Key Width:

Between 0.190 inches and 0.210 inches

Distance From Centerline To Inside Of Prebent Key:

Between 0.390 inches and 0.410 inches

Internal Key Quantity:

2

Material Thickness:

Between 0.022 inches and 0.042 inches

Hardness Rating:

62.0 rockwell a

Special Features:

Centerline of second key located 22 degrees and 30 minutes counterclockwise from centerline of first key

Heat Treatment:

As fabricated

Material:

Steel

Material Specification:

Ams6350 assn standard single material response

Surface Treatment:

Oxide film

Surface Treatment Specification:

Ams2485 assn standard single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A022b0