

View Online at <https://aerobasegroup.com/nsn/5315-00-059-8398>

First End Style:

Chamfered

Overall Length:

Between 1.218 inches and 1.228 inches

Diameter:

Between 0.374 inches and 0.375 inches

Effective Length:

Between 0.906 inches and 0.911 inches

Undercut Diameter:

Between 0.303 inches and 0.313 inches

Undercut Width:

Between 0.052 inches and 0.057 inches

Second Undercut Width:

Between 0.052 inches and 0.057 inches

First End Taper Length:

0.015 inches

Second End Relationship With First End:

Identical

Hardness Rating:

30.0 rockwell c and 35.0 rockwell c

First End Location:

Both ends

First End Taper Angle:

45.0 degrees

Surface Finish:

32.0 microinches outside diameter

Material:

Steel comp 4140

Material Specification:

Astm a322 assn standard single material response or astm a331 assn standard single material response

Surface Treatment:

Phosphate

Surface Treatment Specification:

Mil-p-16232, ty m, cl 1 military specification single treatment response

Style Designator:

Groove

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-p-16232 spec.