

View Online at <https://aerobasegroup.com/nsn/5315-00-104-7967>

First End Style:

Chamfered

Shank Length:

Between 0.170 inches and 0.210 inches

Shoulder Diameter:

Between 0.275 inches and 0.295 inches

Shank Diameter:

Between 0.2460 inches and 0.2465 inches

Overall Length:

Between 0.480 inches and 0.535 inches

Undercut Diameter:

Between 0.230 inches and 0.240 inches

Undercut Width:

Between 0.035 inches and 0.055 inches

Second Undercut Width:

Between 0.035 inches and 0.055 inches

First End Taper Length:

Between 0.010 inches and 0.025 inches

Second End Relationship With First End:

Identical

Hardness Rating:

24.0 rockwell c and 37.0 rockwell c

Second Shank Diameter:

Between 0.2460 inches and 0.2465 inches

First End Location:

Both ends

First End Taper Angle:

Between 43.0 degrees and 47.0 degrees

Second Shank Length:

Between 0.170 inches and 0.210 inches

Material:

Iron alloy 660

Material Specification:

Ams 5731 assn standard single material response

Style Designator:

Undercut

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A212a0