

View Online at <https://aerobasegroup.com/nsn/5315-00-163-2684>

First End Style:

Chamfered

Second End Style:

Square

Pinlength:

Between 0.428 inches and 0.448 inches

Pindiameter:

Between 0.0939 inches and 0.0941 inches

First End Taper Length:

0.088 inches

Second End Taper Length:

0.036 inches

Features Provided:

Casehardened

Second End Relationship With First End:

Not identical

Hardness Rating:

47.0 rockwell c and 58.0 rockwell c

Shear Strength:

1800 double pound

First End Taper Angle:

Between 4.0 degrees and 16.0 degrees

Second End Taper Angle:

Between 4.0 degrees and 12.0 degrees

Special Features:

Radius end may be chamfered 25.0 degrees

Material:

Steel

Material Specification:

Astm a29 assn standard single material response

Surface Treatment:

Phosphate zinc

Surface Treatment Specification:

Dod-p-16232 ty z cl 2 national specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A212a0