

View Online at <https://aerobasegroup.com/nsn/5315-01-012-1696>

**First End Style:**

Chamfered

**Second End Style:**

Radius

**Pinlength:**

Between 2.240 inches and 2.260 inches

**Pindiameter:**

Between 0.3759 inches and 0.3761 inches

**Second End Corner Radius:**

Between 0.047 inches and 0.125 inches

**First End Taper Length:**

0.476 inches

**Second End Relationship With First End:**

Not identical

**Hardness Rating:**

36.0 rockwell c and 42.0 rockwell c

**Shear Strength:**

16000 double pounds per square inch

**First End Taper Angle:**

10.0 degrees

**Surface Finish:**

16.0 microinches outside diameter

**Material:**

Steel comp 410 or steel comp 416

**Material Specification:**

Fed standard 66 federal standard all material responses

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Qq-p-35 federal specification single treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A212a0