

View Online at <https://aerobasegroup.com/nsn/5315-01-158-5829>

First End Style:

Chamfered

Second End Style:

Square

Pinlength:

Between 0.235 inches and 0.240 inches

Pindiameter:

Between 0.1251 inches and 0.1253 inches

First End Taper Length:

0.041 inches

Second End Relationship With First End:

Not identical

Hardness Rating:

36.0 rockwell c and 42.0 rockwell c

Shear Strength:

1800 double pound

First End Taper Angle:

Between 20.0 degrees and 30.0 degrees

Material:

Steel comp 416 or steel comp 410

Material Specification:

Astm a582 assn standard 1st material response or astm a493 assn standard 2nd material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Astm a380 assn standard single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0