

View Online at <https://aerobasegroup.com/nsn/5315-01-217-2344>

First End Style:

Chamfered

Second End Style:

Square

Pinlength:

Between 0.545 inches and 0.565 inches

Pindiameter:

Between 0.1876 inches and 0.1878 inches

First End Taper Length:

Between 0.045 inches and 0.065 inches

Second End Relationship With First End:

Not identical

Hardness Rating:

36.0 rockwell c

Shear Strength:

162000 double pounds per square inch

First End Taper Angle:

Between 29.0 degrees and 31.0 degrees

Special Features:

Symmetrical diamond point 0.208 in. Min 0.228 in. Maximum lg on chamfered end

Material:

Steel comp 410 or steel comp 416

Material Specification:

Astm a582 assn standard 1st material response or federal standard 66, cond optional federal standard 2nd material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35, ty i, ii or iii federal specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A212a0