

View Online at <https://aerobasegroup.com/nsn/5315-01-227-2903>

First End Style:

Round

Pinlength:

Between 0.776 inches and 0.796 inches

Pindiameter:

Between 0.1850 inches and 0.1860 inches

First End Counterbore Diameter:

Between 0.135 inches and 0.145 inches

First End Counterbore Depth:

Between 0.052 inches and 0.072 inches

Second End Relationship With First End:

Identical

Hardness Rating:

270.0 brinell standard and 295.0 brinell standard

Surface Finish:

63.0 microinches

Material:

Steel comp 4130

Material Specification:

Sub: od8853, type d, grade i, class a mfr ref single material response

Surface Treatment:

Phosphate and lubricant

Surface Treatment Specification:

Mil-p-16232e military specification 1st treatment response and mil-l-25504 military specification 2nd treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-p-16232e spec.