

View Online at <https://aerobasegroup.com/nsn/5315-01-269-4982>

First End Style:

Chamfered

Second End Style:

Radius

Pinlength:

Between 2.990 inches and 3.010 inches

Pindiameter:

Between 0.3759 inches and 0.3761 inches

Second End Corner Radius:

Between 0.047 inches and 0.125 inches

First End Taper Length:

Between 0.625 inches and 0.703 inches

Second End Relationship With First End:

Not identical

Hardness Rating:

36.0 rockwell c and 42.0 rockwell c

Shear Strength:

16000 double pound

First End Taper Angle:

Between 4.0 degrees and 16.0 degrees

Surface Finish:

16.0 microinches outside diameter

Material:

Steel comp 410 or steel comp 416

Material Specification:

66 federal standard all material responses

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0