

View Online at <https://aerobasegroup.com/nsn/5315-01-297-3277>

First End Style:

Chamfered

Second End Style:

Radius

Pinlength:

Between 0.615 inches and 0.635 inches

Pindiameter:

Between 0.1876 inches and 0.1878 inches

Second End Corner Radius:

0.023 inches

First End Taper Length:

0.042 inches

Second End Relationship With First End:

Not identical

Shear Strength:

4000 double pound

First End Taper Angle:

10.0 degrees

Surface Finish:

16.0 microinches outside diameter

Special Features:

Radius end may be chamfer 25.0 degree; color gray, surface treatment has a metallic ceramic coating

Material:

Steel comp 410 or steel comp 416

Material Specification:

Astm a493 assn standard 1st material response or astm a582 assn standard 2nd material response

Surface Treatment:

Ceramic

Surface Treatment Specification:

Mil-c-81751 ty i, cl 4 military specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-c-81751 spec.