

View Online at <https://aerobasegroup.com/nsn/5325-00-130-5824>

Cross Sectional Shape:

Double oval

Inside Diameter:

Between 1.408 inches and 1.423 inches

Casehardening Indicator:

Not casehardened

Outside Diameter:

Between 1.614 inches and 1.629 inches

Major Thickness:

Between 0.048 inches and 0.052 inches

Ring Style:

Spiral

Usage Design:

External

Material Hardness Rating:

Between 39.8 rockwell c and 48.5 rockwell c

Strength Rating:

185000.0 pounds per square inch tensile

Material:

Steel, ams 5519 or steel, mil-s-5059, type 302 or steel, qq-s-766, class 302 or steel, federal standard 66, aisi 302/sae 30302

Material:

Steel comp 301 or steel comp 302 or steel comp 302 or steel comp 302

Material Specification:

Ams 5519 assn standard 1st material response and mil-s-5059, type 302 military specification 2nd material response and qq-s-766, class 302 federal specification 3rd material response and federal standard 66 federal standard 4th material response or aisi 302 assn standard single material response or sae 30302 assn standard single material response

Surface Treatment:

Passivate

Surface Treatment:

Passivated, qq-p-35

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-g

Mil-std (military Standard):

Mil-s-5059 spec.