## NSN 5325-01-294-4453

Retaining Ring - Page 1 of 1



view Online at https://aerobasegroup.com/nsn/5525-01-294-4455
Cross Sectional Shape:
Rectangular
nside Diameter:
Between 2.039 inches and 2.079 inches
Casehardening Indicator:
Not casehardened
Outside Diameter:
Between 2.359 inches and 2.389 inches
Major Thickness:
Between 0.029 inches and 0.033 inches
End Style:
Vertex center or above
Ring Style:
Straight gap
Usage Design:
nternal
Strength Rating:
200000.0 pounds per square inch tensile
Special Features:
Two slots located 0.062 inches from either end
Material:
Steel, federal standard 66, comp 302 or steel, mil-s-5059, type 302 or steel, ams 5519 or steel, qq-s-766, class 302
Material:
Steel comp 302 or steel comp 302 or steel comp 301 or steel comp 302
Material Specification:
Fed standard 66, comp 302 federal standard 1st material response and mil-s-5059, type 302 military specification 2nd material response
and ams 5519 assn standard 3rd material response and qq-s-766, class 302 federal specification 4th material response
Surface Treatment:
Passivate
Surface Treatment:
Passivated, qq-p-35
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Filg:
Г252-g
Mil-std (military Standard):
Mil-s-5059 spec.