## NSN 5325-01-305-4563

Retaining Ring - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5325-01-305-4563

Cross Sectional Shape:
Double oval
Inside Diameter:
Between 1.470 inches and 1.490 inches
Casehardening Indicator:
Not casehardened
Outside Diameter:
Between 1.689 inches and 1.701 inches
Major Thickness:
Between 0.046 inches and 0.052 inches
Ring Style:
Spiral
Usage Design:
External
Material Hardness Rating:
Between 40.0 rockwell c and 51.5 rockwell c
Strength Rating:
211000.0 pounds per square inch tensile
Material:
Steel, aisi 302 or steel, mil-s-5059, type 302
Material:
Steel comp 302 or steel comp 302
Material Specification:
Aisi 302 assn standard 1st material response and mil-s-5059, type 302 military specification 2nd material response
Surface Treatment:
Passivate
Surface Treatment:
Passivated, qq-p-35
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T252-g
Mil-std (military Standard):
Mil-s-5059 spec.