

View Online at <https://aerobasegroup.com/nsn/5330-00-882-1678>

Cross Sectional Shape:

O-ring

Tempurature Rating:

-29.0 degrees celsius and 204.0 degrees celsius

Cross Section Outside Diameter:

Between 0.135 inches and 0.143 inches

Cross-sectional Height:

Between 0.135 inches and 0.143 inches

Center Hole Diameter:

Between 1.599 inches and 1.619 inches

Peripheral Diameter:

Between 1.864 inches and 1.910 inches

Elongation Percentage:

125

Hardness Rating:

70.0 shore durometer a and 80.0 shore durometer a

Operating Medium:

Oil, synthetic

Color:

Brown

Material:

Rubber synthetic

Material Specification:

Ams 7278, class fkm assn standard single material response or astm d2000/sae j200 2hk715 a1-10b37b38ef31e078f15z1 assn standard single material response

Supplementary Features:

H temp diester base and silicate ester base fluid res

Specification Data:

96906-ms9388 government standard and 96906-ms17413/canceled government standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A032a0