## NSN 2520-00-891-0397

Automotive Axle Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2520-00-891-0397

| Over | all I | en   | ath: |
|------|-------|------|------|
| ~~   | an L  | -611 | иит. |

Between 12.500 inches and 12.624 inches

**Metallic Hardness Rating:** 

38.0 rockwell c and 42.0 rockwell c

First End Spline Length:

Between 1.219 inches and 1.343 inches

First End Spline Minor Diameter:

Between 0.940 inches and 0.950 inches

First End Spline Major Diameter:

Between 1.130 inches and 1.136 inches

Second End Spline Length:

Between 1.740 inches and 1.760 inches

**Second End Spline Minor Diameter:** 

Between 0.904 inches and 0.909 inches

**Second End Spline Major Diameter:** 

Between 1.122 inches and 1.124 inches

First End Type:

Splined

**Second End Type:** 

Splined

First End Spline Quantity:

**Second End Spline Quantity:** 

6

First End Facility Diameter:

Between 0.785 inches and 0.805 inches

First End Engaging/locking/positioning Facility:

Locking device groove

First End Facility Width:

Between 0.208 inches and 0.228 inches

First End Facility Location:

0.231 in. From shaft end

First End Bearing Seat:

Not included

**Second End Spline Type:** 

Straight

**Second End Bearing Seat:** 

Not included

First End Spline Type:

Straight

Material:

Steel, qq-s-624-canceled

## NSN 2520-00-891-0397

Automotive Axle Shaft - Page 2 of 2

T306-d



| Material:  |
|--|
| Steel  |
| Material Specification:  |
| Qq-s-624-canceled federal specification single material response |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
|  |
| Demilitarization:  |
| Yes - demil/mli  |
| Filg:  |