## NSN 4210-00-142-2071

Fire Fighting Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4210-00-142-2071

Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
2.500 inches
Tempurature Rating:
-65.0 degrees fahrenheit single response
Connection Style:
Swivel nut, gasket seal 1st end
End Connection Design:
Straight 2nd end
Connection Type:
Threaded internal hose 1st end
Thready Qty Per Inch (tpi):
7-1/2 2nd end
Burst Test Pressure:
600.0 pounds per square inch
Layer Composition And Location:
Combination natural threaded and synthetic thread jacket
Thread Size:
2.500 inches 2nd end
Hydrostatic Test Pressure:
400.0 pounds per square inch
Outer Covering Environmental Protection:
Abrasion resistant and mildew resistant and weatherproof and cold resistant
Inside Surface Condition:
Smooth
Measuring Method And Length:
300.000 inches
Special Features:
Rubber gasket preinserted in first end
Media For Which Designed:
Water single response
Thread Series Designator:
Nh 2nd end
Specification Data:
81348-zz-h-451 government specification
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 4210-00-142-2071

Fire Fighting Nonmetallic Hose Assembly - Page 2 of 2



_										
וו	0	m	ш	м	2	iza	31	^	n	

No

Fiig:

A542a0

Mil-std (military Standard):

Mil-f-19488 spec.