

View Online at <https://aerobasegroup.com/nsn/4520-00-054-4716>

**Mounting Type:**

Trailer

**Heat Medium Type:**

Air

**Outlet Position:**

In the same direction

**Heat Outlet Quantity:**

6

**Heat Delivery Direction:**

Horizontal

**Heat Discharge Outlet Type:**

Stationary

**Heat Directing Device:**

Flexible ducts

**Air Circulation Device:**

Squirrel cage blower

**Speed Adjustments:**

Single speed

**Maximum Air Flow Rate:**

1073.0 cubic feet per minute

**Circulated Air Type:**

Heated

**Radio Interference Suppression Type:**

Army, mil-std-461, radio suppression

**Flue Connection Location:**

Top center

**Current Type:**

Ac

**Depth:**

50.000 inches

**Prime Mover Type:**

Gasoline engine

**Operating Control Type:**

Hand switch

**Heating Element Type:**

Combustion chamber

**Ignition Method:**

Electrode

**Fuel Consumption Rate Per Hour:**

5.0 gallons

**Heat Delivery Rate:**

400000.0 kilogram-calorie

**Integral Fuel Tank Capacity:**

17.5 gallons

**Fuel Feed Method:**

Internal pump

**Voltage In Volts:**

220.0

**Phase:**

Three

**Special Features:**

Discharge air range 150 degrees to 280 degrees f, heater conforms to mil-h-4607, class 1, air force trailer type ma-1 required

**Frequency In Hertz:**

60.0

**Fuel Type:**

Gasoline

**Height:**

26.000 inches

**Quantity:**

1

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A01300