## NSN 4730-00-009-3379

Pipe Cross - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4730-00-009-3379

| Plain (pipe) all ends  Leg Length:  1.625 inches all ends  Connection Type:  Threaded internal pipe all ends  Thread Size:  1.000 inches all ends  Material:  Steel comp 316  Material Specification:  66 federal standard single material response  Surface Treatment:  Passivate  Surface Treatment Specification:  Mil-s-5002 military specification single treatment response inside  Thread Series Designator:  Anpt all ends |
|--|
| 1.625 inches all ends  Connection Type: Threaded internal pipe all ends  Thread Size: 1.000 inches all ends  Material: Steel comp 316  Material Specification: 66 federal standard single material response  Surface Treatment: Passivate  Surface Treatment Specification: Mil-s-5002 military specification single treatment response inside  Thread Series Designator:  |
| Connection Type: Threaded internal pipe all ends Thread Size: 1.000 inches all ends Material: Steel comp 316 Material Specification: 66 federal standard single material response Surface Treatment: Passivate Surface Treatment Specification: Mil-s-5002 military specification single treatment response inside Thread Series Designator:   |
| Thread Size:  1.000 inches all ends  Material: Steel comp 316  Material Specification: 66 federal standard single material response  Surface Treatment: Passivate  Surface Treatment Specification: Mil-s-5002 military specification single treatment response inside  Thread Series Designator:  |
| Thread Size:  1.000 inches all ends  Material:  Steel comp 316  Material Specification:  66 federal standard single material response  Surface Treatment:  Passivate  Surface Treatment Specification:  Mil-s-5002 military specification single treatment response inside  Thread Series Designator:  |
| 1.000 inches all ends  Material: Steel comp 316  Material Specification: 66 federal standard single material response  Surface Treatment: Passivate  Surface Treatment Specification: Mil-s-5002 military specification single treatment response inside  Thread Series Designator:  |
| Material: Steel comp 316  Material Specification: 66 federal standard single material response Surface Treatment: Passivate Surface Treatment Specification: Mil-s-5002 military specification single treatment response inside Thread Series Designator:  |
| Steel comp 316  Material Specification: 66 federal standard single material response  Surface Treatment: Passivate  Surface Treatment Specification: Mil-s-5002 military specification single treatment response inside  Thread Series Designator:   |
| Material Specification:  66 federal standard single material response  Surface Treatment:  Passivate  Surface Treatment Specification:  Mil-s-5002 military specification single treatment response inside  Thread Series Designator:  |
| 66 federal standard single material response  Surface Treatment:  Passivate  Surface Treatment Specification:  Mil-s-5002 military specification single treatment response inside  Thread Series Designator:   |
| Surface Treatment:  Passivate  Surface Treatment Specification:  Mil-s-5002 military specification single treatment response inside  Thread Series Designator:   |
| Passivate  Surface Treatment Specification:  Mil-s-5002 military specification single treatment response inside  Thread Series Designator:   |
| Surface Treatment Specification:  Mil-s-5002 military specification single treatment response inside  Thread Series Designator:  |
| Mil-s-5002 military specification single treatment response inside  Thread Series Designator:  |
| Thread Series Designator:  |
| -  |
| Annt all onds  |
| Aript all erius  |
| Specification Data:  |
| 88044-an918 government standard and 81343-as4842 professional/industrial association standard  |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
| <del></del>  |
| Demilitarization:  |
| No   |
| Fiig:  |
| A080b0   |
| Mil-std (military Standard):   |
| Mil-f-14072 spec.  |
|  |