## NSN 5310-01-330-7600

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-330-7600 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque with metallic insert **Counterbore Diameter:** 0.196 inches base and 0.202 inches base Lubrication: Dry film lubricant **Mounting Hole Diameter:** Between 0.093 inches and 0.103 inches **Nut Style:** Plate **Nut Length:** 0.900 inches **Distance From Base To Center Of Aperture:** Between 0.290 inches and 0.330 inches **Plate Thickness:** Between 0.040 inches and 0.060 inches Plate Width: 1.570 inches **Nut Counterbore Depth:** 0.480 inches base **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** Center To Center Distance Between Mounting Holes Along Width: Between 1.000 inches and 1.030 inches **Tempurature Rating:** 300.0 degrees fahrenheit **Thread Series:** Unf Thready Qty Per Inch (tpi): 32 **Thread Size:** 0.190 inches **Special Features:** Includes insert, ms21209f1-15l, shank end

Material:

Aluminum alloy 2014 nut

## NSN 5310-01-330-7600

Plate Self-locking Nut - Page 2 of 2



Material	<b>Specification</b>	-
waterial	Specification	•

Qq-a-367, t6 federal specification single material response nut

**Surface Treatment:** 

Anodize nut or chromate nut

## **Surface Treatment Specification:**

Mil-a-8625, type 1 military specification 1st treatment response nut or mil-c-5541 military specification 2nd treatment response nut

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_\_

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-a-8625 spec.