NSN 5315-00-016-5848

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-016-5848 First End Style: Chamfered Second End Style: Chamfered **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.400 inches and 0.420 inches **Shank Length:** 1.128 inches **Shoulder Diameter:** Between 0.245 inches and 0.250 inches **Shank Diameter:** Between 0.155 inches and 0.160 inches **Overall Length:** Between 1.430 inches and 1.450 inches First End Taper Length: 0.031 inches **Second End Taper Length:** Between 0.110 inches and 0.130 inches **Second End Relationship With First End:** Not identical **Thread Size:** 0.138 inches **First End Location:** Shoulder end First End Taper Angle: 45.0 degrees **Second End Taper Angle:** 30.0 degrees Material: Steel comp 303 **Material Specification:** Astm a 582, cond a assn standard single material response

Surface Treatment: Passivate Style Designator: Shoulder **Thread Series Designator:** Unc

NSN 5315-00-016-5848

Headless Shoulder Pin - Page 2 of 2



| _ | | | | | |
|---|---|------------|---|----|----|
| • | n | 0 1 | • | 12 | e: |
| | | | | | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0