

View Online at <https://aerobasegroup.com/nsn/5340-00-145-7961>

Cross Sectional Shape:

Circular recess

Inside Diameter:

Between 1.469 inches and 1.531 inches

Hole Diameter:

Between 0.279 inches and 0.286 inches

Width:

Between 2.314 inches and 2.438 inches

Flange Thickness:

Between 0.392 inches and 0.484 inches

Edge Shape:

Rectangle, four holes

Length:

Between 2.314 inches and 2.438 inches

Corner Radius:

Between 0.219 inches and 0.281 inches

Distance Between Holes Along Length:

Between 1.866 inches and 1.886 inches

Distance Between Holes Along Width:

Between 1.866 inches and 1.886 inches

Distance From First Hole Centerline To End Along Length:

Between 0.219 inches and 0.281 inches

Distance From First Hole Centerline To End Along Width:

Between 0.219 inches and 0.281 inches

First Recess Inside Height:

Between 0.063 inches and 0.187 inches

Inside Corner Radius:

Between 0.156 inches and 0.219 inches

Body Thickness:

Between 0.094 inches and 0.156 inches

Securing Device Type:

Threaded fastener

Mounting Opening Shape Style:

Unthreaded hole

Material:

Magnesium alloy

Material Specification:

Ams4424 assn standard single material response or ams4484 assn standard single material response

Surface Treatment:

Paint

Surface Treatment Specification:

Asm 2510 assn standard single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A531c0