Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-107-2227

## Section Quantity:

1

Body Style:

Cylindrical bushing mounted

Reliability Indicator:

Not established

Body Diameter:

33.5 millimeters

## Shaft Diameter:

0.375 inches

Shaft Length:

28.71 millimeters

Mounting Bushing Length:

11.9 millimeters

**Body Length:** 

## 22.3 millimeters

Shaft Style:

Round

Switch Type:

Rotary

Actuator Type:

Single shaft

Switch Operating Position:

Start of rotation

**Fragility Factor:** 

Rugged

Screw Thread Diameter:

0.438 inches

Screw Thread Series Designator:

Unef

Screw Thready Qty Per Inch (tpi):

28.0

Terminal Location:

Rear end

Mounting Method:

Standard bushing

Features Provided:

Grounded contact arm

Electrical Resistance Per Section:

8.0 ohms single section

Resistance Tolerance Per Section In Percent:

-10.0/+10.0 single section



Standard Taper Curve Per Section:

A single section

**Special Features:** 

Black knob on shaft

Terminal Type And Quantity:

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0