NSN 5930-00-102-5906

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-102-5906

Hazardous Locations/environmental Protection:
Dustproof
Overall Length:
2.000 inches
Overall Height:
1.060 inches
Body Diameter:
0.930 inches
Mounting Slot Width:
0.177 inches
Body Height:
1.000 inches
Distance Between Mounting Facility Centers:
1.610 inches
Tempurature Sensing Element Type:
Internal sensor
Mounting Method:
Bracket and slot
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, double throw, one position momentary
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
3.0 amperes inductive load first voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
265.00 actuation point degrees fahrenheit and 225.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
240.0 ac at sea level first voltage
Frequency In Hertz:
60.0 second voltage
Media For Which Designed:
Gas
Precious Material And Location:
Terminal surfaces silver
Precious Material:
Silver

NSN 5930-00-102-5906

Thermostatic Switch - Page 2 of 2



Style Designator:
Disc w/flange
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A048b0