NSN 5955-01-371-1766

Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-371-1766 **Overall Length:** 0.887 inches **Overall Height:** 0.400 inches **Overall Width:** 0.540 inches **Environmental Protection:** Shock resistant and vibration **Vibration Resistance Range In Hertz:** +0.0/+250.0 **Shock Resistance Rating In Gravitational Units:** 1000.0 **Average Life Measurement:** Not rated **Basic Shape Style:** Rectangular or square **Inclosure Type: Encased Operating Control Method:** Automatic Installation Design: Module **Control Type:** Remote **Circuit Construction Type:** Solid state **Frequency Per Channel:** 29.997 megahertz operating channel and 30.003 megahertz operating channel Impedance Rating Per Channel: 50.000 ohms operating channel **Shock Pulse Duration Time:** 6.0 milliseconds **Connection Type And Location:** Pin bottom **External Dc Operating Voltage In Volts:** 4.75 single voltage and 5.1 single voltage Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

NSN 5955-01-371-1766

Crystal Controlled Oscillator - Page 2 of 2



Fiig:

A32200