## NSN 5985-01-036-6215

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-036-6215

Application Design:
Transmission line
Body Style:
Coaxial type
Overall Length:
2.895 inches
Overall Height:
2.438 inches
Overall Width:
1.875 inches
Distance Between Mounting Facility Centers:
1.125 inches
Voltage Standing Wave Ratio:
1.20 and 1.50
Coaxial Connector Series Designation:
Bnc
Power Rating:
1.0 watts peak
Mounting Facility Screw Thread Series Designator:
Unc
Overall Attenuation Range In Decibels:
+0.0/+10.0
Attenuation Variation Method:
Stepped
Step Position Quantity:
10
Attenuation Per Step In Decibels:
1.0
Mounting Facility Type And Quantity:
2 threaded hole
Frequency Range:
Between 0.000 gigahertz and 2.000 gigahertz
Mounting Thread Quantity:
32 per inch
Adjustment Device Type And Quantity:
1 knob
Mounting Facility Pattern:
Two position in-line
Mounting Facility Screw Thread Diameter:
0.164 inches
Impedance Rating In Ohms:

## NSN 5985-01-036-6215

Variable Attenuator - Page 2 of 2



Terminal Type And Quantity	Terminal	Type	And	Quantity
----------------------------	----------	------	-----	----------

2 connector, coaxial, female

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A223a0