NSN 5990-01-305-7228

Transmitter Synchro - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5990-01-305-7228

Body Material:

Steel, corrosion resisting

Body Style:

Standard round b

Shoulder Diameter:

Between 1.3115 inches and 1.3120 inches

Pilot Diameter:

Between 0.8745 inches and 0.8750 inches

Overall Length:

2.3320 inches

Flange Diameter:

Between 1.4320 inches and 1.4370 inches

Flange Thickness:

Between 0.0880 inches and 0.0980 inches

Undercut Width:

Between 0.0730 inches and 0.0830 inches

Shaft Diameter:

0.1867 inches single shaft and 0.1872 inches single shaft

Shaft Length:

0.4900 inches single shaft and 0.5100 inches single shaft

Maximum Tempurature Rise:

20.0 degrees celsius

Body Size:

15

Rotor Input Voltage Rating In Volts:

115.0

Frequency In Hertz:

400.0

Rotor Input Current Rating:

85.0 milliamperes

Rotor Input Electrical Power Rating:

1.2 watts

Zro Impedance Magnitude In Ohms:

Between 1402.00 and 1643.00

Zro Impedance Angle In Deg:

Between 81.40 and 84.60

Zss Impedance Magnitude In Ohms:

Between 123.00 and 138.00

Zss Impedance Angle In Deg:

Between 26.50 and 31.50

Phase Shift Angle In Deg:

4.000 input to output



NSN 5990-01-305-7228 Transmitter Synchro - Page 2 of 3	AeroBase Group
Maximum Fundamental Null Voltage In Millivolts Per Volt:	
32.00 output	
Maximum Total Null Voltage Output In Millivolts Per Volt:	
60.00	
Electrical Error Angular Range In Minutes:	
-6.0/+6.0	
Actuator Friction Torque At Plus 25 Deg Celsius:	
0.05 inch-ounces	
Alignment Hole Quantity:	
4	
Shaft Radial Play Test Point:	
0.125 inches	
Shaft Maximum Radial Play:	
0.0006 inches	
Shaft End Play:	
0.0010 inches	
Pilot Length:	
Between 0.0350 inches and 0.0450 inches	
Shoulder Length:	
Between 0.1270 inches and 0.1370 inches	
Mounting Surface To Terminal End Distance:	
1.7770 inches	
Shaft Maximum Runout:	
0.0008 inches	
Terminal Location:	
Rear	
Shaft Slot Depth:	
0.0250 inches single shaft	
Shaft Slot Width:	
0.0200 inches single shaft	
Shaft Type:	
Round, slotted single shaft	
Alignment Hole Depth:	
0.1250 inches	

Transformation Ratio:

0.783 rotor to stator

Alignment Hole Bolt Circle Diameter:

Between 1.0970 inches and 1.1030 inches

Shaft Radial Play Determining Weight:

8.0 ounces

Shaft End Play Determining Weight:

16.0 ounces

Test Data Document:

81349-mil-s-20708 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

NSN 5990-01-305-7228 Transmitter Synchro - Page 3 of 3



Terminal Type And Quantity:
6 screw
Specification Data:
81349-mil-s-20708/14 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A07800