

KOLOR KUT PRODUCTS CO -- KOLAR KUT WATER FINDING PASTE -- 6850-00-001-4194

=====  
Product Identification  
=====

Product ID:KOLAR KUT WATER FINDING PASTE

MSDS Date:04/26/1990

FSC:6850

NIIN:00-001-4194

MSDS Number: BCTWT

=== Responsible Party ===

Company Name:KOLOR KUT PRODUCTS CO

Address:7915 E ELM

Box:5415

City:HOUSTON

State:TX

ZIP:77012

Country:US

Info Phone Num:713-926-4780

Emergency Phone Num:71

3-485-3181

Preparer's Name:DENNIS M.FRAUENBERGER

CAGE:11730

=== Contractor Identification ===

Company Name:KOLOR KUT PRODUCTS CO

Address:7915 E ELM

Box:5415

City:HOUSTON

State:TX

ZIP:77262

Country:US

Phone:713-926-4780

CAGE:11730

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ALKANOLAMINE

Fraction by Wt: 50.0%

Other REC Limits:NONE SPECIFIED

Ingred Name:CLAY

Fraction by Wt: 50.0%

Other REC Limits:NONE SPECIFIED

=====  
Hazards Identification  
=====

=====  
Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE:MILD IRRITATION OF EYES OR SKIN.  
Explanation of Carcinogenicity:DATA PER MGF MSDS.  
Effects of Overexposure:IRRITATION AND BAD ODOR  
Medical Cond Aggravated by Exposure:NONE NOTED

=====  
First Aid Measures

First Aid:EYES AND SKIN:FLUSH WITH LARGE AMOUNT OF WATER FOR ABOUT  
15-2  
0 MINUTES;SEEK MEDICAL ATTENTION IMMEDIATELY.INHALATION:REMOVE  
TO FRESH AIR;CALL A PHYSICIAN.INGESTION:SEEK MEDICAL ATTENTION  
IMMEDIATELY.

=====  
Fire Fighting Measures

Flash Point Method:TOC  
Flash Point:365F,185C  
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY  
CHEMICAL.  
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A  
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED  
CONTAINERS WITH  
WATER SPRAY. CONTAIN RUNOFF.  
Unusual Fire/Explosion Hazard:NONE NOTED;COMBUSTION OR HEAT OF FIRE MAY  
PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

=====  
Accidental Release Measures

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;SWEEP UP AND  
RECOVER AND COLLECT FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.

=====  
Handling and Storage

Handling and Storage Precautions:DO NOT EXPOSE TO HIGH TEMPER  
ATURES OR  
WATER CONTAMINATION.  
Other Precautions:WASH THOROUGHLY AFTER EACH USE.

=====  
Exposure Controls/Personal Protection

Respiratory Protection:NONE REQUIRED WITH AN ADEQUATE VENTILATION.  
Ventilation:NORMAL ROOM VENTILATION  
Protective Gloves:IMPERVIOUS  
Eye Protection:SAFETY GLASSES/GOGGLES  
Other Protective Equipment:PROTECTIVE CLOTHINGS.EYE-WASH  
FACILITIES,SAFETY SHOWER.  
Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE  
VAPORS/MIST/

DUST.WASH THOROUGHLY AFTER EACH USE;DO NOT  
EAT,DRINK,SMOKE.

Supplemental Safety and Health  
USE AS DIRECTED.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:650F,343C

Vapor Pres:0.1

Spec Gravity:1.1

Solubility in Water:COMPLETELY MISCIBLE

Appearance and Odor:BROWN SEMISOLID,SLIGHT AMMONICAL ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING AGENTS AND ACIDS

Stability

Condition to Avoid:NONE NOTED

Hazardous Decomposition Products:NOT SPECIFIED

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES;DISPOSAL MUST BE IN  
ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.