Company Name: EASTMAN KODAK COMPANY Address: 343 STATE STREET

=== Responsible Party ===

City:ROCHESTER

State:NY ZIP:14650 Country:US Info Phone Num :716-722-5151

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

======= Composition/Information on Ingredients ========

Ingred Name: MAGNESIUM SULFATE

CAS:7487-88-9

RTECS #:OM4500000 Fraction by Wt: 100%

============ Hazards Identification =========================

Rout

es of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION-LOW HAZARD FOR RECOMMENDED HANDLING. EYES-NO SPECIFIC HAZARD KNOWN. SKIN-LOW HAZARD FOR RECOMMENDED HANDLING. INGESTION-EXPECTED TO BE A LOW INGESTION
HAZARD. Explanation of Carcinogenicity:THIS CHEMICAL IS NOT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.
Effects of Overexposure:EYES-MAY CAUSE TRANSIENT IRRITATION. Medical Cond Aggra
vated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:INHALATION-REMOVE TO FRESH AIR. GET MEDICAL ATTENTION. EYES-ANY MATERIAL THAT CONTACTS THE EYES AHOULD BE WASHED OUT IMMEDIATELY. GET MEDICAL ATTENTION. SKIN-WASH AFTER EACH CONTACT. GET MEDICAL ATTEN TION. INGESTION-DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION.
======================================
Autoignition Temp:Autoignition Temp Text:NONE Extinguishing Media:USE APPROPIATE AGENTS FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND CLOTHING. Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE
PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS. ===================================
======================================
Spill Release Procedures:FLUSH MATERIAL TO SEWER WITH LARGE AMOUNTS OF WATER.
======================================
Handling and Storage Precautions:KEEP CONTAINERS TIGHTLY CLOSED. Other Precautions:NONE
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE SPECIFIED BY MANUFACTURER. Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT. Protective Gloves:GLOVES MAY BE REQUIRED. Eye Protection:SAFETY GLASSES RECOMMENDED.

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices:USE GOOD INDUSTRIAL HYGIENE PRACTICE. Suppl

emental Safety and Health
THIS IS PART B OF A THREE PART KIT SEE OTHER P/N IND. THIS

THIS IS PART B OF A THREE PART KIT. SEE OTHER P/N IND, THIS NSN, FOR ADDITIONAL INFORMATION. COMPONENT NUMBER: 10522. KIT MAKES 50 LITERS OF SOLUTION.

======== Physical/Chemical Properties ===========

HCC:B2

Decomp Temp:=1123.9C, 2055.F

Vapor Pres:NEGLIGIBLE

Spec Gravity:1.67

Evaporation Rate & Description Rate & Reference: NEGLIGIBLE

Solubility in Water: APPRECIABLE

Appearance and Odor: WHITE CRYSTALS; ODORLESS

======= Stability and Reactivity Da

ta ========

Stability Indicator/Materials to Avoid:YES

NONE WITH COMMON MATERIALS & CONTAMINATS WITH WHICH THE MATERIAL MAY REASONABLY COME INTO CONTACT.

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY PRODUCE OXIDES OF SULFUR.

======= Disposal Considerations ===========

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE OR LOCAL LAWS.

D isclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation