

CHEM COMMODITIES AGY, INC -- CLEANING & LUBRICATING CMPD. ELEC CONT --
6850-00-003-1194

=====
===== Product Identification =====

Product ID:CLEANING & LUBRICATING CMPD. ELEC CONT

MSDS Date:01/01/1985

FSC:6850

NIIN:00-003-1194

MSDS Number: BCTXV

=== Responsible Party ===

Company Name:CHEM COMMODITIES AGY, INC

Address:27447 PACIFIC STREET

City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Info Phone Num:71

4-864-2310

Emergency Phone Num:714-864-2310

CAGE:JO769

=== Contractor Identification ===

Company Name:CHEM COMMODITIES AGY, INC

Address:27447 PACIFIC STREET

Box:1650

City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:714-864-2310

CAGE:JO769

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

=====
===== Composition/Information on Ingredients =====

Ingred Name:METHYL CHLORO

FORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

Fraction by Wt: 65.0%

OSHA PEL:350 PPM/450 STEL

ACGIH TLV:350 PPM/450STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ozone Depleting Chemical:1

Ingred Name:SILICONE

Fraction by Wt: 5.0%

ACGIH TLV:NONE

Ingred Name:HALOGENATED HYDROCARBONS

Fraction by Wt: 30.0%

ACGIH TLV:1000PPM

===== Hazards Identification =====

Effects of Overexposure:ANESTHETIC EFFECTS MAY OCCUR IN RANGE OF
500-10
00PPM

===== First Aid Measures =====

First Aid:EYE/SKIN: FLUSH W/WATER. GET MD IF IRRIT DEVELOPS. INH: IF
BRTHNG STOPS, ARTIF RESP. REMOVE TO FRESH AIR, GET MD. INGEST:
INDUCE VOMIT, CALL MD. AVOID SYMPTOMINETIC AMINES - EPINEPHRINE.

===== Fire Fighting Measures =====

Extinguishing Media:WATER, FOG

Fire Fighting Procedures:SELF-CNTND RESP EQUIP TO BE USED

===== Accidental Release Measures =====

=====

Spill Release Procedures:DISPOSE OF IN APPRVD STG CNTNR & DISPOSE OF
IAW LOCAL, STATE, FED REG.

===== Handling and Storage =====

Handling and Storage Precautions:RELEASE TO ATMOSHPERE. STORE IN COOL,
DRY AREA IN TRANSP.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE WHEN TLV BELOW 350PPM, OTHERWISE, USE
SELF-CNTND BRTHNG APP

Ventilation:LOCAL EXHST TO LIMIT CONC IN TO TLV

Protective Gl

oves:NONE
Eye Protection:SAFETY GLASSES
Other Protective Equipment:NONE
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V3
Appearance and Odor:CLEAR, SHARP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
ALKALI OR ALKALINE EARTH MTL.H*2O-SLOW HYDROLOYSIS PROD ACID
Stability Condition to Avoid:OPEN FLAMES, WELDING ARCS OR OTHER HIGH
TEMPS, IND TH DECOMP
Hazardous Decompos
ition Products:OPEN FLAMES & WELDING ARCS GIVE HCL &
SM AMTS PHOSG & CL

===== Disposal Considerations =====

Waste Disposal Methods:SHIP IN APPRVD DISPOSAL CNTNR & DISPOSE OF IAW
LOCAL, STATE, FED REG.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this informati
on to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.