

GOAL CHEMICAL SEALANTS CORP -- GC-408 CLASS A -- 8030-00-007-8337

===== Product Identification =====

Product ID:GC-408 CLASS A

MSDS Date:01/01/1985

FSC:8030

NIIN:00-007-8337

Kit Part:Y

MSDS Number: BCVCV

=== Responsible Party ===

Company Name:GOAL CHEMICAL SEALANTS CORP

Emergency Phone Num:213-269-0461

CAGE:04011

=== Contractor Identification ===

Company Name:GOAL CHEMICAL SEALANTS CORP

Address:3

137 E 26TH ST

Box:City:LOS ANGELES

State:CA

ZIP:90023-4206

Country:US

Phone:213-269-0461

CAGE:04011

===== Composition/Information on Ingredients =====

Ingred Name:MANGANESE DIOXIDE (AS MANGANESE)

CAS:1313-13-9

RTECS #:OP0350000

Fraction by Wt: 52.1%

OSHA PEL:C,5 MG/M3/1 FUME TWA

ACGIH TLV:5 MG/M3 DUST/1 FUME

Ingred Name:P-TERPHENYL(TERPHENYL-PLASTICIZER)

CAS:92-94-4

RTECS #:WZ6475000

Fraction by Wt: 38.5%

ACGIH TLV:1 PPM

Ingred Name:GUANIDINE, 1,3-DIPHENYL(DIPHENYL GUANIDIN

E)  
CAS:102-06-7  
RTECS #:MF0875000  
Fraction by Wt: 9.4%

=====  
Hazards Identification  
=====

Effects of Overexposure:EYE,SKIN:IRRITATION;INHALE:DIZZINESS DUE TO  
TOLUENE IN BASE COMPOUN(WHEN MIXING,OR USING)

=====  
First Aid Measures  
=====

First Aid:INHALE:REMOVE TO FRESH AIR;SKIN,EYES:FLUSH WITH LARGE AMOUNTS  
OF WATER;INGESTION:ADMINISTER EMETIC.CALL PHYSICIAN.NOTE:WASH SKIN  
AFTER EACH USE WITH SOAP AND WATER.

=  
=====  
Fire Fighting Measures  
=====

Flash Point:77F,25C OC  
Extinguishing Media:H\*2O,CO\*2,DRY CHEM.  
Fire Fighting Procedures:NONE NOTED BY MFG(IF LG FIRE,SUGGEST  
SELF-CNTND BRTHG APP)  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:ELIM IGNITION SOURCES.STOP LEAK.SCRAPE UP  
EXCESS MATERIAL AND CLEAN UP RESIDUE W SOLVENTS(FOLLOW APPROPRIATE  
HANDLING PROCEDURES FOR SOLVENTS,  
MIXED PRODUCT IS LIQUID CEMENT,OR  
SYNTHETIC RUBBER, & CONS IDERED NON HAZARDOUS.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN COOL(50 TO  
80F),DRY,VENTILATED,LOW FIRE RISK AREA. PROTECT FROM PHYSICAL  
DAMAGE.AVOID PHYSICAL CONTACT.KEEP CONTAINERS TIGHTLY CLOSED.  
Other Precautions:SEE DATA UNDER PN IND A,THIS STOCK NUMBER.(TWO PART  
PRODUCT).

=====  
Exposure Controls/Personal Protection  
=====

Respir

atory Protection:GAS MASK W CANSTR FOR ORGANIC SOLVENTS,NIOSH APPR.

Ventilation:LOCAL EXHAUST ADEQUATE TO ELIMINATE ODOR

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY/CHEM GOGGLES.

Other Protective Equipment:AS REQUIRED;NORMAL WORK CLOTHING GENERALLY ADEQUATE.

Supplemental Safety and Health

PART B OF TWO PART PRODUCT(CATALYST INGREDIENTS FOR SYNTHETIC RUBBER SEALING COMPOUND).TYPE II,CLASS A-2.SEE DATA SHEETS FOR PART A FOR FULL DATA.KEY1:F3.

=====  
Physical/Chemical Properties =====

HCC:F3

Spec Gravity:1.47

Appearance and Odor:BLACK;MERCAPTAN ODOR

=====  
Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG REDUCING AGENTS.

Stability Condition to Avoid:AVOID ELEVATED TEMPERATURES(ABOVE 400F).

Hazardous Decomposition Products:SO\*2,H\*2S, AND OTHER SULFUR COMPOUNDS

=====  
Disposal Considerations =====

Waste Disposal Methods:CONSIDERED BY MFG TO BE

NON-HAZARDOUS TRASH(WHEN

MIXED);DISPOSE IN FULL REGULATORY COMPLIANCE.IF CATALYST NOT MIXED,THE PLASTICIZER SHOULD BE NOTED FOR DISPOSAL COMPLIANCE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.