

SOUTHWEST PETRO-CHEM, INC -- MIL-L-15019,LUBRICATING OIL,COMPOUND -- 9150-00-011-5892

=====  
Product Identification  
=====

Product ID:MIL-L-15019,LUBRICATING OIL,COMPOUND

MSDS Date:01/01/1985

FSC:9150

NIIN:00-011-5892

MSDS Number: BCVHK

=== Responsible Party ===

Company Name:SOUTHWEST PETRO-CHEM, INC

Emergency Phone Num:913-782-5800

CAGE:70878

=== Contractor Identification ===

Company Name:EXXON CO

USA-SOUTHWEST GREASE BUSINESS UNIT

Address:1400 S HARRISON

Box:1974

City:OLATHE

State:KS

ZIP:66061

Country:US

Phone:913-656-3701/800-424-9300(CHEMTREC)

CAGE:70878

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PETROLEUM HYDROCARBON

=====  
Hazards Identification  
=====

Effects of Overexposure:POSSIBLE SKIN IRRIT W/PROLONGED CNTCT

=====  
First Aid Measures  
=====

First Aid:FLUSH EYES W/PLEN

TY WATER. CALL MD IMMED. WASH W/SOAP &  
WATER, SKIN CNTCT. CALL MD IMMED.

=====  
Fire Fighting Measures  
=====

Flash Point:475F COC

Extinguishing Media:DRY CHEM, CO\*2, WATER FOG, FOAM, SAND OR EARTH

Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF-CNTND BRTHNG  
APPARATUS

=====  
Accidental Release Measures  
=====

Spill Release Procedures:TRANSFER BULK OF MATL INTO ANOTHER CNTNR.  
ABSORB REMAINING RESIDUE W/PROPER ABSORB

ENTS. SWEEP UP & DISPOSE AS  
SOLID WASTE IAW LOCAL, STATE, FED REG.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN COOL, DRY AREA. KEEP CNTNR  
CLOSED. KEEP OUT OF CHILDRENS REACH.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE REQ  
Ventilation:NONE REQ  
Protective Gloves:RUBBER/PLASTIC  
Eye Protection:SPLASH GOGGLES  
Other Protective Equipment:FULL FACE SHLD  
Supplemental Safety and Health

=====  
Physical/Chemical Properties  
=====

HCC:V6  
Boiling Pt:B.P. Text:>475F  
Spec Gravity:0.92  
Solubility in Water:SLIGHT  
Appearance and Odor:GREEN LIQ, UNUSUAL PETROLWUM HYDROCARBON ODOR

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS SUCH AS CHROMIC ACID, H\*2O\*2, BR  
Hazardous Decomposition Products:DENSE SMOKE, CO, CO\*2 & POSS UNKNOWN  
ORGANIC CMPDS

=====  
Disposal Considerations  
=====

Waste Disposal Methods:BY METHODS CONSISTENT W/LOCAL, STATE, FED REG.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent

professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.