View NSN Online: https://aerobasegroup.com/nsn/9150-00-019-5701

Product ID: AVIATION OIL 22851 1080 LAD III MSDS Date:11/01/1985 FSC:9150 NIIN:00-019-5701 **MSDS Number: BCVLD** === Responsible Party === Company Name: DELTA PETROLEUM CO. INC. Address:3011 LAUSAT ST. City:METAIRIE State:LA ZIP:70001 Country:US Info Phone Num:504-833-2861 **Emergency Phone** Num:504-833-2861 Preparer's Name: I.R.SWOAP **CAGE:7A348** === Contractor Identification === Company Name: DELTA PETROLEUM CO., INC Address:10352 RIVER ROAD, Box:10397 City:ST. ROSE State:LA ZIP:70087 Country:US Phone:504-832-2732 CAGE:7A348

Ingred Name:MINERAL OIL Fraction by Wt: 90-95% ACGIH TLV:5 MG/CUM (MIST)

Ingred Name: ADDITIVE PACKAGE CONTAINING: SULFUR, NITROGEN Fraction by Wt: 5-10%

====== Hazards Identi

LD50 LC50 Mixture:>5G/KG (ORAL RAT); PRACTICALLY NON-TOXIC Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: MINIMALLY IRRITATING TO EYES, SKIN & **RESPIRATORY TRACT (AS MIST).** Explanation of Carcinogenicity: ONLY USED MOTOR OILS WERE SHOWN TO CAUSE SKIN CANCER WHEN TESTED ON MICE. Effects of Overexposure: IRRITATION TO EYES, SKIN OR MUCOUS MEMBRANES. Medical Cond Aggra vated by Exposure:SKIN DISORDERS First Aid: EYES: FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. SKIN: WASH WITH SOAP & WATER. INHALATION: REMOVE FROM AREA OF MIST OR VAPOR. INGESTION: DO NO T INDUCE VOMITING. Flash Point Method:COC Flash Point:440F,226.6C Extinguishing Media:USE WATER SPRAY, DRY CHEMICAL, FOAM, OR CARBON DIOXIDE Fire Fighting Procedures: WATER OR FOAM MAY CAUSE FROTHING. USE WATER TO COOL FIRE EXPOSED CONTAINERS. IF NOT IGNITED. USE WATER SPRAY TO DISPERSE THE VAPORS & PROVIDE PERSONNEL PROTECT. **Unusual Fire/Explosion Hazard:NONE** Spill Release Procedures: CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB ON SUITABLE MATERIAL AND SHOVEL UP. Neutralizing Agent:NONE \_\_\_\_\_ Handling and Storage Precautions: MAINTAIN MINIMUM FEASIBLE HANDLING TEMPERATURES. MINIMIZE EXPOSURE PERIODS TO HIGH TEMPERATURES. AVOID WATER CONTAMINATION. Other Precautions: IN CASE OF SKIN CONTACT, PROMPTLY WASH THOROUGHLY WITH SOAP AND WATER. LAUNDER OIL-SOILED CLOTHING BEFORE REUSE. 

Respiratory Protection: NONE NORMALLY REQUIRED. Ventilation:NORMAL MECHANICAL (GENERA

L)
Protective Gloves: IMPERVIOUS RUBBER
Eye Protection: CHEMICAL GOGGLES OR FACE SHIELD
Other Protective Equipment: NONE
Work Hygienic Practices: WASH EXPOSED SKIN AREAS SEVERAL TIMES DAILY
WITH SOAP & WATER. LAUNDER SOILED CLOTHING AT LEAST WEEKLY.
Supplemental Safety and Health
NONE

HCC:V6 Spec Gravity:0.901 Solubility in Water:NEGLIGIBLE Appearance and Odor:CLEAR OIL, MILD PETROLEUM ODOR

Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:TOXIC FUME EMITTED UPON COMBUSTION.

Waste Disposal Methods:RECYCLE OR INCINERATE IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL APPLICABLE REGULATIONS AND LAWS.

Disclaimer (provided with this information by the compilin g agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.