View NSN Online: https://aerobasegroup.com/nsn/9150-00-024-9621

Product ID:DOW CORNING 200 FLUID-50 CS AND ABOVE

MSDS Date:01/01/1987

FSC:9150

NIIN:00-024-9621

MSDS Number: BCVPM === Responsible Party ===

Company Name: DOW CORNING CORPORATION

Emergency Phone Num:517-496-5900

CAGE:5D028

=== Contractor Identification === Company Name:DOW CORNIN

**G CORP** 

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name: DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI ZIP:48611 Country:US

Phone:517-496-4388

CAGE:71984

======= Composition/Information on Ingredients ========

Ingred Name: DIMETHYLPOLYSILOXANE

CAS:9016-00-6

RTECS #:TQ2690000 Fraction by Wt: 100%

========= Hazards Identification =============

**Effects** 

of Overexposure:MAY CAUSE TEMPRARY DISCOMFORT TO EYES OR IRRITATION TO SKIN OR RESPIRATORY TRACT.
======================================
First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF NEED;EYES/SKIN:FLUSH W LG AMTS H*20 FOR 15 MIN;INGEST:RINSE MOUTH; GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE.
======================================
Flash Point:>250F/121C (O.C) Exti
nguishing Media:CO*2,DRY CHEMICAL,FOAM. Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN CONFINED AREA. Unusual Fire/Explosion Hazard:NONE NOTED
======== Accidental Release Measures =========
Spill Release Procedures:USE ABSORBENT MATERIAL TO COLLECT AND CONTAIN FOR SALVAGE OR DISPOSAL.
========== Handling and Storage ============
Handling and Storage Precautions:USE REASONABLE CARE. Other Precautions:AVOID CONTACT WITH EYES AND SKIN.DO NOT INHALE MIST/VAPORS.WASH THOROUGHLY AFTER EACH USE.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:NO SPECIAL REQMNTS UNDER ORDINARY CONDITIONS/ADEQUATE VENT. Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE VENTILATION Protective Gloves:IMPERVIOUS Eye Protection:SAFETY GLASSES Other Protective Equipment:AS REQUIRED TO PREVENT PROLONGED CONTACT. Supplemental Safety and Health MSDS DATED:12/05/78
========= Physic

al/Chemical Properties =========

HCC:V6
Boiling Pt:B.P. Text:>300F/149C
Vapor Pres: