

GENERAL ELECTRIC CO. SILICONE PRODUCTS BUSINESS DE -- SF96-1000 -- 9150-00-024-9623

=====  
Product Identification  
=====

Product ID:SF96-1000  
MSDS Date:03/23/1990  
FSC:9150

NIIN:00-024-9623  
MSDS Number: BCVPN

=== Responsible Party ===

Company Name:GENERAL ELECTRIC CO. SILICONE PRODUCTS BUSINESS DE  
Address:HUDSON RIVER ROAD  
City:WATERFORD  
State:NY  
ZIP:12188  
Country:US

Info Phone Num:518-237-3330

Emer

gency Phone Num:518-237-3330

Preparer's Name:GCD

CAGE:01139

=== Contractor Identification ===

Company Name:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT  
Address:260 HUDSON RIVER RD  
Box:City:WATERFORD  
State:NY  
ZIP:12188  
Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

Company Name:R.H.CARLSON COMPANY,INC.

Address:41-CHESTNUT STREET

Box:1687

City:GREENWICH

State:CT

ZIP:06830-5921

Country:US

Phone:203-531-5500

CAGE:33530

=====  
Composition/Information on Ingredients  
=====

===

Ingred Name:NON-HAZARDOUS INGREDIENTS (INERT)

Fraction by Wt: 1-20%

Other REC Limits:NONE SPECIFIED

Ingred Name:DIMETHYLPOLYSILOXANES

CAS:63148-62-9

RTECS #:JT6484500

Fraction by Wt: 80-99%

Other REC Limits:NONE SPECIFIED

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 ORAL RAT IS > 40000 MG/KG

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EYE:MA

Y CAUSE MILD IRRITATION.

CHRONIC: NONE KNOWN.

Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER.

Effects of Overexposure:MAY CAUSE MILD EYE IRRITATION. NO OTHER EFFECTS  
KNOWN BY MANUFACTURER.

Medical Cond Aggravated by Exposure:NONE KNOWN

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND  
GET MEDICAL ATTENTION IF IRRITATION PERSISTS. SKIN: WASH WITH SOAP  
AND WATER. INHALATION:

NONE KNOWN. INGESTION: NONE KNOWN. NOTE TO  
PHYSICIAN: NONE KNOWN.

=====  
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:575F,302C

Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA.

Fire Fighting Procedures:NONE KNOWN

Unusual Fire/Explosion Hazard:SUPPLIER DID NOT ADDRESS THIS FIELD.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:WIPE, SCRAPE, OR SOAK UP WITH INERT MATERIAL  
AND PUT IN A

CONTAINER FOR DISPOSAL. WASH WALKING SURFACES WITH  
DETERGENT AND WATER TO REDUCE SLIPPING HAZARD.  
Neutralizing Agent:NO INFORMATION GIVEN ON MSDS BY SUPPLIER

===== Handling and Storage =====

Handling and Storage Precautions:NONE KNOWN  
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE KNOWN  
Ventilation:NONE KNOWN  
Protective Gloves:NONE KNOWN  
Eye Protection:SAFETY GLASSES  
Other Protecti  
ve Equipment:NONE KNOWN  
Work Hygienic Practices:SUPPLIER DID NOT ADDRESS THIS FIELD. HMIS: USE  
GOOD INDUSTRTIAL HYGIENE PRACTICES.  
Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:V6  
Boiling Pt:B.P. Text:>400F,>204C  
Vapor Pres:NEG.  
Vapor Density:NEG.  
Spec Gravity:0.97  
Evaporation Rate & Reference:NEGL.(BUTYL ACETATE = 1)  
Solubility in Water:INSOLUBLE  
Appearance and Odor:CLEAR, ODORLESS LIQUID  
Percent Volatiles by Volume: