INLAND PACKAGING -- INNERBOND 2010 FLUID,1000 CST -- 9150-00-024-9623

Product ID: INNERBOND 2010 FLUID, 1000 CST MSDS Date:06/08/1990 FSC:9150 NIIN:00-024-9623 MSDS Number: BCVPP === Responsible Party === Company Name: INLAND PACKAGING Box:644 City:ELIZABETHTOWN State:KY ZIP:42701-9804 Country:US Info Phone Num:502-737-6758 Emergency Phone Num:502-737-6758 CAGE:661 72 === Contractor Identification === Company Name: INLAND PACKAGING INC Address:209 PETERSON DR Box:644 City:ELIZABETHTOWN State:KY ZIP:42701-9804 Country:US Phone:502-737-6757 CAGE:66172 Ingred Name: POLYDIMETHYLSILOXANE CAS:9016-00-6 RTECS #:TQ2690000 Fraction by Wt: 100%

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Health Hazards Acute and Chroni

 c:EYES: CAUSES MILD TRANSIENT DISCOMFOR SIMILAR TO WINDBURN. SKIN: NON-IRRITATING TO INTACT OR ABRADED SKIN; SKIN ABSORPTION: NOT ABSORBED. INHALATION: TLV NOT ESTABLISHED, PASTE-LIKE PRODUCT NOT LIKEL Y TO INHALE. INGESTION: ANIMAL TESTS SUGGESTS VERY LOW TOXICITY. Effects of Overexposure:NONE STATED. NOT LIKELY TO INHALE. MAY CAUSE MILD DISCOMFORT ON EYE CONTACT. Medical Cond Aggravated by Exposure:NONE STATED.
======================================
First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH W/SOAP&WATER. RMV CONTAM CLTHG&SHOES. INGEST:INDUCE VOMIT. RPT UNTIL VOMIT IS C LEAR. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.
======================================
 Flash Point Method:TCC Flash Point:570F,299C Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedure s:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF. Unusual Fire/Explosion Hazard:NONE EXPECTED.
======================================
Spill Release Procedures:SWEEP UP WITH VERMICULITE INTO A STEEL DRUM.
======================================
Handling and Storage Precautions:STORE IN COOL,DRY WELL VENTED,LOW FIRE RIS
K AREA. PROTECT FR HEAT, SHOCK KEEP CONTAINERS CLOSED. Other Precautions: AVOID BREATHING ANY VAPORS. AVOID DIRECT OR PROLONGED CONTACT WITH SKIN AND EYES.
========= Exposure Controls/Personal Protection ====================================
Respiratory Protection:NORMALLY NOT NEEDED IF THERE IS AN ADEQUATE VENTILATION. Ventilation:PROVIDE ADEQUATE VENTILATION. USE LOCAL EXHAUST FANS AS NECESSARY. Protective Gloves:IMPERVIOUS Eye Protection:SAFETY GLASSES WITH SIDE SHIELDS. Other Protective Equipment:

NONE

Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER HANDLING. DO NOT EAT, DRINK OR SMOKE IN WORK ROOM. Supplemental Safety and Health

HCC:V6 Melt/Freeze Pt:M.P/F.P Text:-65F/-53.9C Vapor Pres:0.01 Spec Gravity:0.97 pH:7 Viscosity:1000 CST Solubility in Water:INSOLUBLE Appearance and Odor:CLEAR, COLORLESS PASTE-LIKE POLYMER. Percent Volatiles by Volume:0

Stability Indicator/Materials to Avoid:YES MINERAL ACIDS; STRONG BASES. Stability Condition to Avoid:EXTREMELY HIGH TEMPERATURES Hazardous Decomposition Products:OXIDES OF CARBON AND SILICA MAY BE EMITTED ON COMBUSTION.

Waste Disposal Methods: KEEP IN COVERED DRUMS, PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL, FEDERAL, STATE, & LOCAL REGULATIONS.

Disclaimer (provided

with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.