View NSN Online: https://aerobasegroup.com/nsn/6750-00-054-1975

Product ID:195 3116 KODAK EA-5 COLOR DVLPR, PART D-TO MAKE 38L(SEE SUPP) MSDS Date:10/15/1997 FSC:6750 NIIN:00-054-1975 Kit Part:Y MSDS Number: BCWGZ === Responsible Party === Company Name: EASTMAN KODAK COMPANY Address:343 STATE STREET **City:ROCHESTER** State:NY ZIP:14650 Country:US Info Phone Num:716-477-3194 MSDS :800- 242-2424 Emergency Phone Num:716-722-5151 CAGE:19139 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 242-2424 CAGE:19139 Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES Address:800 LEE RD Box:City:ROCHESTER State:NY ZIP:14650-3129 Country:US Phone:800-828-6203 CAGE:5K871

==

Ingred Name:4-(N-ETHYL-N-2-METHANESULFONYLAMINOETHYL)-2-METHYLPHENYLENEDIA MINE CAS:25646-71-3 RTECS #:PB0431000 Fraction by Wt: 85-90% Other REC Limits:NONE RECOMMENDED Ingred Name:CITRAZINIC ACID CAS:99-11-6 RTECS #:NS1400000 Fraction by Wt: 10-15% Other REC Limits:NONE RECOMMENDED LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: GENERAL: MAY CAUSE KIDNEY DMG BASED ON ANIMAL DATA.INHAL:HARMFUL IF INHAL.AIRBORNE DUST IRRIT.EYE:CAUSES IRRIT.AIRBORNE DUST IRRIT.HOWEVER IMMED FLUSH OF EYES W/WATER WILL MIN ANY IRRITATIVE EFFECT.SKI N:CAUSES IRRIT.MAY CAUSE ALLERGIC SKIN RX.INGEST: HARMFUL IF SWALLOWED.MAY CAUSE KIDNEY DMG BASED ON ANIMAL(SIGN/SYMPT) **Explanation of Carcinogenicity:PER** MSDS:CARCINOGENICITY CLASSIFICATION: IARC/ACGIH/NTP/OSHA: NONE. NO EVIDENCE OF CARCINOGENICITY. Effects of Overexposure: HEALTH: DATA. MAY CAUSE IRRIT OF GASTROINTESTINAL TRACT. OVEREXPO: KIDNEY DMG, INHAL/INGEST HARMFUL, DUST IRRIT EYE/INHAL.IRRIT SKIN, ALLERGIC RX, IRRIT GI TRACT. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:INHAL:MOVE TO FRESH AIR.TREAT SYMPTOMATIC.SYMPT PERSIST GET

MED ATTN.EYES:IMMED FLUSH W/PLENTY OF H2O @LEAST 15MINS.GET MED ATTN.SKIN:IMMED FLUSH W/PLENTY,WASH W/NON-ALKALINE(ACID)TYPE SKIN CLEANER.IR RIT/ALLERGIC RX DVLP GET MEDA TTN.REMOVE CONTAM CLOTH/SHOES.INGEST:INDUCE VOMIT AS DIRECTED BY MED PERSONNEL.NEVER GIVE ANYTHING BY MOUTH IF UNCONSC.CALL DR/POIS CNTRL CNTR IMMED.

Flash Point:NA,COMBUST SOLID Autoignition Temp:Autoignition Temp Text:NP Extinguishing M edia:WATER SPRAY, CARBON DIOXIDE (CO2), DRY CHEMICAL. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS & PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS. Unusual Fire/Explosion Hazard:POWEDRED MATL MAY FORM EXPLOSIVE DUST-AIR MIXTURES.FIRE OR HIGH TEMPERATURES MAY CAUSE EXPLOSIVE DECOMPOSITION.

Spill Release Procedures:COLLECT UP & PUT IN SUITABLE CONTAIN ER.AVOID

GENERATING DUST.CLEAN SURFURCE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATION.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:DONT GET IN EYE/SKIN/CLOTH.USE W/ADEQU VENTI.KEEP CNTNR CLSD.ROUTINE USE OF NONALKALINE(ACID)TYP HND CLNR/REG WORKSURF/GLOVE/ETC CLEAN MIN SKIN RX.
Other Precautions:KEEP AWAY FROM HEAT.POWDERED MATL MAY FORM EXPLO DUST-AIR MIX.MIN DUST GENE
RATION/ACCUMU.KEEP AWAY FROM IGN SOURCES.REF:NFPA 654:PREV FIRE/DUST EXPLO IN CHEM,DYE,PHARM,PLAST INDUST.KEEP FROM CONTACT W /OXIDIZING MATLS.AFT DIL W/LG AMTS (SUP)

Respiratory Protection: IF ENGINEERING CNTRL DONT MAINTAIN AIRBORNE CONCEN BELOW RECOMMENDED EXPO LIMITS APPROVED RESP MUST BE WORN.RESP TYPE: DUST. IF RESP USED PROGRAM SHOULD BE INSTITUTED TO ASSURE COMPLIANCE W/STD 29CFR191 0.134. Ventilation:

USE PROCESS ENCLOSURE, LOC EXHAU VENTI, OTHER ENGINEER CNTRL TO MAINTAIN AIRBORNE LEVELS BEL RECOMMENDED EXPO LIMITS. Protective Gloves: IMPERVIOUS GLOVES. Eye Protection:SAF GLASSES W/SIDE SHIELDS,GOGG Other Protective Equipment: EYEBATH, WASHING FACILITIES, SAFETY SHOWER.PROTECTIVE CLOTHING APPROPRIATE FOR RISK OF EXPOSURE. Work Hygienic Practices: WASH CONTA CLOTH BEF REUSE; DESTROY/CLEAN WELL CONTAM SHOES.WASH THOROUGHLY AFT HNDLG.AVOID BREATH DUST @CONC >EXPO LIMIT Supplemental Sa fety and Health TIR:CONSIST PN893 6437(PARTA,D)&PN863 7746(PARTB,C)TO MAKE COMPLETE KIT. OTHER PRECAUT: OF WATER FOLLOWED BY 2ND WASTE TREAT MATL NOT EXPECTED TO CAUSE ADVERSE ENVIRO EFFECTS. HCC:N1 Boiling Pt:B.P. Text:>212F,>100C Melt/Freeze Pt:M.P/F.P Text:N/AVAI Decomp Temp:Decomp Text:NP Vapor Pres:NEGLIGIBLE Vapor Density:NA

Spec Gravity:N/AVAI pH:NA Viscosity:NP Evaporation Rate & amp; Reference:NP Solubility in Water:APPRECIABLE Appearance and Odor:SOLID, TAN COLOR, ODORLESS Percent Volatiles by Volume:NA Corrosion Rate:NP

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:STABLE,HOWEVER MATL CAN DECOMPOSE ABOVE 210C/410F.AVOID TEMPERATURES ABOVE 110C/230F.
Hazardous Decomposition Products:CARBON MONOXIDE,CARBON DIOXIDE,OXIDES OF NITROGEN,OXIDES OF SULFUR.

====== D

Waste Disposal Methods:DISCH/TREAT/DISPO MAY BE SUBJ TO NAT/STATE/LOC LAWS.INCINERATE.SINCE EMPTIED CNTNR RETAIN PRODUCT RESIDUE FOLLOW LABEL WARN EVEN AFT EMPTY.CHEM SUBJ TO SARA 313 TITLE III/40CFR372:NONE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied,

warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.