

CABOT CORPORATION -- CAB-O-SIL -- 8010-00-060-3253

===== Product Identification =====

Product ID:CAB-O-SIL

MSDS Date:01/01/1987

FSC:8010

NIIN:00-060-3253

MSDS Number: BCWQD

=== Responsible Party ===

Company Name:CABOT CORPORATION

Address:125-HIGH STREET

City:BOSTON

ZIP:02110

Country:US

Info Phone Num:617-423-6000

Emergency Phone Num:617-423-6000

CAGE:CABOT

=== Contractor Identification ===

Compan

y Name:CABOT CORP

Address:75 STATE ST

Box:City:BOSTON

State:MA

ZIP:02109-1806

Country:US

Phone:508-663-3455

CAGE:80798

Company Name:CABOT CORPORATION

Address:COUNTY LINE RD

Box:188

City:BOYERTOWN

State:PA

ZIP:19512

Phone:215-367-2181

CAGE:CABOT

===== Composition/Information on Ingredients =====

Ingred Name:SILICA, AMORPHOUS, DUST

CAS:112945-52-5

RTECS #:VV7310000

Fraction by Wt: 100%

Other REC Limits:20MPPCF

OSHA PEL:6 MG/M3

ACGIH TLV:10 MG/M3; 8990

===== Ha

zards Identification =====

Routes of Entry: Inhalation:YES Skin:UNKNOWN Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:MAY IRRITATE RESPIRATORY OR
G.I.TRACT;ETCHING OF SKIN POSSIBLE. CHRONIC SCARING OF LUNGS OR
LUNGS DAMAGE
Effects of Overexposure:IRRITATION OF RESPIRATORY TRACT:POSSIBLE SKIN
OR EYE IRRITATION.LONG EXPOSURE TO SILICA MAY CAUSE SCARING OR LUNG
DAMAGE

===== First Aid
Measures =====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF
NEED;EYES/SKIN:FLUSH W LG AMTS H*2O FOR 15 MIN;INGEST:RINSE MOUTH;
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER
SYMPTOMS OF OVEREXPOSURE.

===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:NONE INDICATED;USE SUITALE MEDIA FOR SURROUNDING
FIRES
Fire Fighting Procedures:NONE NOTED;IN CONFINED SPACE,USE SCBA WITH
FULL
PROTECTION.
Unusual Fire/Explosion Hazard:NONE NOTED

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP OR USE VACUUM CLEANER

===== Handling and Storage =====

Handling and Storage Precautions:DRY,POWDERED MATERIALS CAN BUILD
STATIC ELECTRICAL ELECTRICAL CHARGES WHEN SUBJECTED TO FRICTION.
Other Precautions:PROPER PRECAUTIONS, WHEN USING CAB-O-SIL IN THE
PRESSNECE OF FLAMMABLE OR EXPLOSIVE LIQUIDS,
SHOULD BE TAKEN TO
PREVENT ACCIDENTS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPRVD RESP PROTECTN FOR EXPOSURE OF
CONCERN
Ventilation:LOCAL EXHAUST-HELPFUL BUT NOT ESSENTIAL
Protective Gloves:NOT NECESSARY
Eye Protection:NORMAL GOOD SFTY PRACTICE
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V7
Solubility in Water:NEGLIGIBLE
Appearance and Odor:FINE WHITE POWDER,OD

ORLESS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

NONE

Hazardous Decomposition Products: NONE

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.