

JOHNS MANVILLE PRODUCTS CORP -- AERTITE COATING (SEE SUPP.DATA) -- 8030-00-066-8550

=====
Product Identification
=====

Product ID:AERTITE COATING (SEE SUPP.DATA)
MSDS Date:01/01/1987
FSC:8030
NIIN:00-066-8550
MSDS Number: BCXCG
=== Responsible Party ===
Company Name:JOHNS MANVILLE PRODUCTS CORP
Emergency Phone Num:(303)978-4900
CAGE:JO967
=== Contractor Identification ===
Company Name:JOHNS MANVILLE PRODUCTS CORP
CAGE:JO967
Company Name:SCHULLER INTERNATIONAL INC.
Address:Box:5108
City:DENVER
State:CO
ZIP:80217-5108
Country:US
Phone:303-978-4900
CAGE:75165

=====
Composition/Information on Ingredients
=====

Ingred Name:STODDARD SOLVENT
CAS:8052-41-3
RTECS #:WJ8925000
Fraction by Wt: 40.0%
OSHA PEL:500 PPM
ACGIH TLV:100 PPM; 9293

Ingred Name:ASPHALT (PETROLEUM)
CAS:8052-42-4
RTECS #:CI9900000
Fraction by Wt: 20.0%
ACGIH TLV:5 MG/M3; (FUME);9192

Ingred Name:ASBESTOS (

AMIANTHUS, OBSOLETE AMOSITE), (FOR OSHA PEL, SEE
29CFR 1910.1101)

CAS:1332-21-4

RTECS #:CI6475000

Fraction by Wt: 15.0%

OSHA PEL:0.2 FIBERS/CC

ACGIH TLV:0.5 FIBERS/CC; A1;89

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name:INORGANIC FILLERS

Fraction by Wt: 25.0%

ACGIH TLV:NOT SPECIFIED

=====
===== Hazards Identification =====

Effects of Overexposure:EYES/SKIN:IRRITANT;INHAL:IRRITATION TO
RESP.TRACT;MAY CAUSE CANCERDUE TO ASBESTOS;INGEST:TOXIC/HARMF

=====
===== First Aid Measures =====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF
NEED;EYES/SKIN:FLUSH W LG AMTS H*2O FOR 15 MIN;INGEST:RINSE MOUTH;
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER
SYMPTOMS OF OVEREXPOSURE.

=====
===== Fire Fighting Measures =====

Flash Point:165F/74C (TOC)

Extinguishing Media:FOAM,CO*2,DRY CHEMICAL.

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN FIRE/CONFINED
A

REA.
Unusual Fire/Explosion Hazard:WHEN HEATED TO DECOMPOSITION,MAY EMIT
ACRID FUMES

=====
===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;USE SUITABLE
ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED
AREA;KEEP TIGHTLY CLOSED WHEN NOT IN USE.

Other Precautions:AVOID CONTAC

T WITH EYES SKIN AND CLOTHES:AVOID
BREATHING VAPOR S/MIST;WASH THOROUGHLY AFTER EACH USE,USE FULL
PROTECTION;DO NOT USE CONTAMINATED CLOTHES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR
DUST/ORGANIC VAPORS OR SCBA.

Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV.

Protective Gloves:NEOPRENE

Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE
WA

SH STATION

Supplemental Safety and Health

MSDS DATED 11/22/67:THIS PRODUCT DISCONTINUED SINCE 1974/75 AND
MANVILLE, N.J. PLANT IS ALSO CLOSED (4/29)87)

===== Physical/Chemical Properties =====

HCC:N1

Solubility in Water:1.180

Appearance and Odor:COATING COMPOUND

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

RUBBER ENAMELS,LAQUERS,PAINTS.

Stability Condition to Avoid:HEAT

Hazardous Decomposition P

roducts:WHEN HEATED TO DECOMPOSITION,MAY EMIT
ACRID FUMES.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOS OF COLLECTED MATERIAL IN ACCORDANCE WITH
LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this informa

tion to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.