

AMOCO OIL COMPANY -- LM INDUSTRIAL OIL NO.68-P -- 9150-00-071-4712

=====  
Product Identification  
=====

Product ID:LM INDUSTRIAL OIL NO.68-P

MSDS Date:01/01/1987

FSC:9150

NIIN:00-071-4712

MSDS Number: BCXHZ

=== Responsible Party ===

Company Name:AMOCO OIL COMPANY

Emergency Phone Num:312-856-5371

CAGE:15958

=== Contractor Identification ===

Company Name:AMOCO INTL OIL CO

Address:200 E RANDOLPH DR

Bo

x:5910-A

City:CHICAGO

State:IL

ZIP:60680

Country:US

Phone:800-652-6626

CAGE:6G027

Company Name:AMOCO OIL CO

Address:200 E RANDOLPH DR

Box:City:CHICAGO

State:IL

ZIP:60601-6401

Country:US

Phone:312-856-3907- EM HLTH: 800 447-8735

CAGE:15958

=====  
Composition/Information on Ingredients  
=====

Ingred Name:HYDROFINISHED SOLVENT REFINED NAPHTHENIC PETROLEUM  
OIL,CAS#64742-52-5 (TLV AS OIL MIST)

CAS:64742-52-5

RTECS #:PY8035000

ACGIH TLV:5MG/CUM(OILMIST)

Ingred Name:SOLVENT REFINE

D PARAFFINIC PETROLEUM OIL,CAS#64741-88-4

(TLV AS OIL MIST)

ACGIH TLV:5MG/CUM(OILMIST)

===== Hazards Identification =====

Effects of Overexposure:SKIN/EYES:IRRITATION ON PROLONGED CONTACT;INGEST:NAUSEA,VOMITING;INHAL:RESPIRATORY IRRITATION.

===== First Aid Measures =====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O\*2 IF NEED;EYES/SKIN:FLUSH W LG AMTS H\*2O FOR 15 MIN;INGEST:RINSE MOUTH; GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE.

===== Fire Fighting Measures =====

Flash Point:425F/218C (COC)  
Extinguishing Media:CO\*2,DRY CHEMICAL,FOAM,WATER FOG  
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN CASE OF FIRES,CONFINED AREA  
Unusual Fire/Explosion Hazard:NONE NOTED BY THE MFR.

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;USE SUITABLE ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY AND WELL VENTILATED AREA.KEEP AWAY FROM HEAT AND OPEN FLAMES;KEEP CONTAINER CLOSED WHEN NOT IN USE.  
Other Precautions:AVOID CONTACT WITH SKIN,EYES AND CLOTHES;DO NOT INHALE VAPORS/MIST.WASH AFTER EACH USE.DO NOT USE CONTAMINATED CLOTHES.

===== Exposure Controls/Personal Protection =====

=====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR OIL  
MIST/VAPORS IF > TLV

Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE  
VENTILATION

Protective Gloves:NEOPRENE

Eye Protection:SAFETY/CHEM GOGGLES

Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR  
PROLONGED CONTACT.

Supplemental Safety and Health

MSDS DATED:JULY 18,1985;PHONE # FOR OTHER PRODUCT INFO:312-856-3907

===== Physical/Chemical Properties =====

=

HCC:V6

Spec Gravity:0.88

Solubility in Water:NEGLIGIBLE

Appearance and Odor:PALE COLORED,OILY LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE NOTED

Stability Condition to Avoid:HEAT,OPEN FLAMES

Hazardous Decomposition Products:CO AND/OR CO\*2 ON COMBUSTION

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH  
LOCAL,STATE AND FE  
DERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their

particular situation.