

AERVOE PACIFIC CO -- TT-E-489F ENAMEL -- 8010-00-078-6070

=====
Product Identification
=====

Product ID:TT-E-489F ENAMEL

MSDS Date:01/01/1985

FSC:8010

NIIN:00-078-6070

MSDS Number: BCXNV

=== Responsible Party ===

Company Name:AERVOE PACIFIC CO

Emergency Phone Num:415-351-4860

CAGE:AERVE

=== Contractor Identification ===

Company Name:AERVOE PACIFIC CO INC

Address:1198 SAWMILL RD

Box:City:GARDNERVI

LLE

State:NV

ZIP:89410

Country:US

Phone:702-782-0100

CAGE:AERVE

Company Name:FEDERAL SPECIFICATIONS, PROMULGATED BY GSA

Box:City:WASHINGTON

State:DC

Country:US

CAGE:81348

=====
Composition/Information on Ingredients
=====

Ingred Name:ISOBUTANE

RTECS #:NP7700000

Fraction by Wt: 18%

ACGIH TLV:500 PPM

Ingred Name:PROPANE

CAS:74-98-6

RTECS #:TX2275000

Fraction by Wt: 18%

OSHA PEL:1000 PPM

ACGIH TLV:ASPHYXIAN; 9192

Ingred Name:ALIPHATIC THINNER

Fraction by Wt: 8%

ACGIH TLV:500

PPM

Ingred Name:ACETONE (SARA III)
CAS:67-64-1
RTECS #:AL3150000
Fraction by Wt: 36%
OSHA PEL:1000PPM
ACGIH TLV:750PPM/1000STEL;9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 20%
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

=====
Hazards Identification
=====

Effects of Overexposure:IRRITATION OF EYES & RESPIR. TRACT. POSSIBLE
HEAD
ACHE & DIZZINESS.

=====
First Aid Measures
=====

First Aid:FUMES-MOVE TO FRESH AIR; RESTORE BREATHING; GET MED AID. EYE:
FLUSH THOROUGHLY W WATER; GET MED AID.

=====
Fire Fighting Measures
=====

Flash Point:-20F,-29C
Lower Limits:1.0
Extinguishing Media:CO2,DRY CHEM, FOAM
Fire Fighting Procedures:WATER MAY BE INEFFECTIVE USE TO COOL
CONTAINERS
Unusual Fire/Explosion Hazard:KEEP FROM HEAT, SPARKS OR OPEN FLAME.

CLOSED CONTAINER MAY EXPLODE IF EXPOSED TO ECTREME HEAT.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMATE IGNITION SOURCES-VENTILATE AREA.

===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 120F. KEEP AWAY FROM HEAT & OPEN FLAME.

Other Precautions:AVOID INHALATION OF SPRAY MIST. DO NOT TAKE INTERNALLY

===== Exposure Controls/Personal Protection =====

Respiratory Protection:PAINT SPRAY MASK

Ventilation:TO KEEP VAPORS BELOW TLV

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:-20F,-29C

Vapor Density:>1

Spec Gravity:0.9

Evaporation Rate & Reference:10

Solubility in Water:NONE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

===== Disposal Considerations =====

Wast

e Disposal Methods:IN ACCORD W LOC REGS. DO NOT INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume

responsibility for the suitability of this information to their particular situation.