View NSN Online: https://aerobasegroup.com/nsn/8040-00-081-2166 MORTON THIOKOL, INC; ARMSTRONG PRODUCTS COMPANY -- A-6 -- 8040-00-081-2166 Product ID:A-6 MSDS Date:01/01/1985 FSC:8040 NIIN:00-081-2166 MSDS Number: BCXVS === Responsible Party === Company Name: MORTON THIOKOL, INC; ARMSTRONG PRODUCTS COMPANY Address:407-ARGONNE ROAD Box:647 City:WARSAW State:IN ZIP:46580-3811 Country:US Info Phone Num:219-267-3226 Emergency Phone N um:219-267-3226 CAGE:98911 === Contractor Identification === Company Name: MORTON THIOKOL, INC; ARMSTRONG PRODUCTS COMPANY Address:407-ARGONNE ROAD Box:647 City:WARSAW State:IN ZIP:46580-3811 Country:US Phone:219-267-3226 CAGE:98911 ======= Composition/Information on Ingredients ======== Ingred Name: EPOXY RESIN Fraction by Wt: 40%

Ingred Name: VINYL RESIN

Fraction by Wt: 17%

Ingred Name:FILLER Fraction by Wt: 23%

========= Hazards Identification ===============

Effects of Overexposure:EYE:MINOR IRRIT. SKIN:POSS SENSITIZER & MINOR IRRIT. INHAL:POSS PROBLEM WHEN HEATED TO HIGH TEMP.
======================================
First Aid:EYES: FLUSH WITH WATER 15 MINUTES. IF ILL EFFECTS DEVELOP, GET MD. SKIN. WASH W/SOAP & WATER, REMOVE CONTAMINATED CLOTHING & WASH THEM BEFORE REUSE. INHAL: REMOVE TO FRESH AIR & GET MD. INGEST: NO KNO WN ANTIDOTE. TREAT SYMPTOMS. W/LG AMTS INDUCE VOMT
======================================
Fighting Measures =============
Flash Point:>135F;57C, TCC Extinguishing Media:FOAM,CO*2 DRY CHEM
========= Accidental Release Measures ============
Spill Release Procedures:SOAK UP IN ABSORBANT MATERIAL OR SCRAPE UP. RESIDUAL CAN BE REMOVED WITH NON-FLAMMABLE SOLVENT SUCH AS METHYLENE CHLORIDE. IF SOLVENT IS USED ADEQ VENTIL IS REQUIRED.
====== Exposure Controls/Personal Protection ========
Ventilation:MECH TO MAINTAIN BELOW THE TLV. Protect ive Gloves:YES
Eye Protection:SAFETY GLASSES W/SHIELDS. Other Protective Equipment:BARRIER CREAMS HELPFUL.CLEAN BODY COVERING CLOTHING.
Supplemental Safety and Health PART B OF A TWO PART KIT. TYPE PRODUCT. CONTAINER SIZE 0.04 LB AMPULE. KEY1:T6.
======================================
HCC:F4 Boiling Pt:B.P. Text:389F;198C Spec Gravity:0.96 Solubility in Water:NEGLIGIBLE Appearance and Odor:GRAY PASTE
======== Stability and Reactivity Data =====

=========

Stability Indicator/Materials to Avoid:YES Conditions to Avoid Polymerization:EXCESS OF HARDENER.

======= Disposal Considerations ===========

Waste Disposal Methods:BURN IN ADEQUATE INCINERATOR OR BURY IN LANDFILL ALL IAW FEDERAL,STATE AND LOCAL CODES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner what soever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.