

THREE BOND OF AMERICAN,INC. -- TB 1363D(CV) -- 8030-00-081-2330

=====
Product Identification
=====

Product ID:TB 1363D(CV)

MSDS Date:01/01/1987

FSC:8030

NIIN:00-081-2330

MSDS Number: BCXWD

=== Responsible Party ===

Company Name:THREE BOND OF AMERICAN,INC.

Emergency Phone Num:213-879-9143

CAGE:60859

=== Contractor Identification ===

Company Name:THREE BOND OF AMERICA,INC.

Address:20815 HIGGINS COU

RT

Box:City:TORRANCE

State:CA

ZIP:90501

Country:US

Phone:310-320-3342

CAGE:60859

=====
Composition/Information on Ingredients
=====

Ingred Name:DIMETHACRYLATE ESTERS

Fraction by Wt: 66.0%

Ingred Name:PLASTICIZER

Fraction by Wt: 32.0%

Ingred Name:TERTIARY AMINE

Fraction by Wt: 1.0%

Ingred Name:CATALYST

Fraction by Wt: 1.0%

=====
Hazards Identification
=====

Effects of Overexposure:EYE/SKIN IRRITANT.POTENTIAL SKIN SENSITISZER.

=====

===== First Aid Measures =====

First Aid:SKIN:FLUSH WITH WATER. EYES:FLUSH WITH WATER FOR 15 MIN.CALL DR. WASH SOILED CLOTHES BEFORE RE-USE. DISCARD CONTAMINATED SHOES.

===== Fire Fighting Measures =====

Flash Point:> 200 F, 93 C CC

Extinguishing Media:FOAM,CO*2 OR DRY CHEM.,WATERSPRAY

Fire Fighting Procedures:COOL ALL CONTAINERS NOT IGNITED WITH FIRE HOSES.

Unusual Fire/Explosion Hazard:RAPID POLYMERIZATION MAY OCCUR AT HIGH TEMPS.SMOKE MAY CONTAIN MONOMER-IRRITATE LUNGS

===== Accidental Release Measures =====

Spill Release Procedures:AVOID EYE AND SKIN CONTACT,OR ORAL INGESTION WEAR PROTECTIVE EQUIP. WASH AREA WELL AND COLLECT MATERIAL FOR INCINERATION.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL PLACE OUT OF DIRECT SUNLIGHT.CHANGE OF CLOTHING SHOULD BE AVAILABLE.AT END OF SHIFT WORKER SHOUL

D SHOWER TO REMOVE VAPORS FROM PORES.

Other Precautions:FIRE FIGHTERS MUST WEAR SELF-CONTAINED AIR SUPPLY. SHOES SHOULD BE AIRED OUT DAILY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL VENTILATION REQUIRED.

Ventilation:LOCAL EXHAUST,NORMAL VENTILATION ADEQUATE

Protective Gloves:IMPERVIOUS

Eye Protection:CHEM.SAFETY GOGGLES

Other Protective Equipment:IMPERVIOUS OVERSHOES AND PROTECTIVE CLOTHING

Supplemental Safety and Health

=====

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:> 6000 F
Evaporation Rate & Reference:< ETHER
Appearance and Odor:BLUE LIQUID
Percent Volatiles by Volume:0.5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:NO
PEROXIDES,STRONG OXIDZING AGENTS,IRON RUST,STRONG BASES.
Stability Condition to Avoid:> 90 F, EXPOSURE TO LIGHT,OPEN FLAME,METAL
CONTACT,VACUUM
Hazardous Decomposition Products:CO,CO*2

=
===== Disposal Considerations =====

Waste Disposal Methods:CHEMICAL INCINERATOR.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professiona
l advice to verify and
assume responsibility for the suitability of this information to their
particular situation.