

ADVANCED COATINGS & CHEMICALS -- 1-1X-88 26081 GRAY MIL-C-22750C -- 8010-00-082-2436
===== Product Identification =====

Product ID:1-1X-88 26081 GRAY MIL-C-22750C
MSDS Date:01/01/1985
FSC:8010
NIIN:00-082-2436
MSDS Number: BCXYB
=== Responsible Party ===
Company Name:ADVANCED COATINGS & CHEMICALS
Address:4343 TEMPLE CITY BLVD
City:TEMPLE CITY
State:CA
ZIP:91780-4229
Country:US
Info Phone Num:818-579-6270
Emergency Phone Num:818-579-6270
CAGE:3K685
=== Contractor Identification ===
Company Name:ADVANCED COATINGS & CHEMICALS
Address:4343 TEMPLE CITY BLVD
Box:City:TEMPLE CITY
State:CA
ZIP:91780-4229
Country:US
Phone:818-579-6270
CAGE:3K685

===== Composition/Information on Ingredients =====

Ingred Name:SOLVENTS, UNSPECIFIED
Fraction by Wt: 56%

Ingred Name:VEHICLE
Fraction by Wt: 23%

Ingred Name:PIGMENTS
Fraction by Wt: 21%

===== Hazards Identification

=====
Effects of Overexposure:ANESTHETIC, HEADACHE, NAUSEA, DIZZINESS.
IRRITATION TO SKIN AND EYES.

=====
First Aid Measures

First Aid:IN CASE OF CONTACT, FLUSH EYES OR SKIN WITH PLENTY OF WATER.

=====
Fire Fighting Measures

Flash Point:53F, T.O.C.
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, WATER FOG
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:CONCENTRATED VAPORS
MAY BE EXPLOSIVE.

=====
Accidental Release Measures

Spill Release Procedures:AVOID OPEN FLAMES OR SPARK SOURCES. PROVIDE
ADEQUATE VENTILATION.

=====
Handling and Storage

Handling and Storage Precautions:AVOID OPEN FLAMES AND SPARKS. AVOID
SPLASH FILLING. STORE IN SEALED CONTAINERS. AVOID SKIN ANDYE
CONTACT.
Other Precautions:WASH IMMEDIATELY WITH PLENTY OF WATER IN CASE OF
CONTACT.

=====
Exp
posure Controls/Personal Protection

Respiratory Protection:ORGANIC MASK
Ventilation:LOCAL EXHAUST/ OR MECHANICAL CLASS D APPROVED MOTORS
Protective Gloves:NEOPRENE RUBBER
Eye Protection:YES
Supplemental Safety and Health
2213 N. TYLER AVE., SO. EL MONTE, CA 91733.

=====
Physical/Chemical Properties

HCC:F3
Boiling Pt:B.P. Text:NOT DETERM.
Spec Gravity:1.33
Evaporation Rate & Reference:NOT DETERMINED
Solubility in Water:INSOLUBLE
Appearance a

nd Odor:GRAY WITH BENZOL LIKE ODOR
Percent Volatiles by Volume:56

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

===== Disposal Considerations =====

Waste Disposal Methods:EVAPORATE OR FLUSH WITH WATER TO OPEN, WELL
VENTILATED AREA. USE OIL SEWER IF AVAILABLE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.