

KOPPERS CO INC -- CONVERTER (SEE SUPP DATA) -- 8010-00-082-2477

=====
Product Identification
=====

Product ID:CONVERTER (SEE SUPP DATA)

MSDS Date:01/01/1987

FSC:8010

NIIN:00-082-2477

MSDS Number: BCXZP

=== Responsible Party ===

Company Name:KOPPERS CO INC

Address:3000 KOPPERS BLDG

City:PITTSBURGH

State:PA

ZIP:15219-1818

Country:US

Emergency Phone Num:404-422-6410

CAGE:KOPPE

=== Contractor Identif

ication ===

Company Name:KOP-COAT INC

Address:436 7TH AVENUE

City:PITTSBURGH

State:PA

ZIP:15219-1818

Country:US

Phone:800-553-5631, CHEMTREC 800-424-9300

CAGE:00297

Company Name:KOPPERS CO INC

Address:436 7TH AVE

City:PITTSBURGH

State:PA

ZIP:15219

Country:US

Phone:800-556-7737

CAGE:KOPPE

=====
Composition/Information on Ingredients
=====

Ingred Name:N-BUTYL ALCOHOL (SARA III)

CAS:71-36-3

RTECS #:EO1400000

OSHA PEL:100 PPM

ACGIH TLV:S, C 50 PPM; 9293

EPA Rpt Qty:5000 LBS

DOT

Rpt Qty:5000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000

OSHA PEL:400 PPM/500 STEL

ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

OSHA PEL:100 PPM/150 STEL

ACGIH TLV:100 PPM/150STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:2-ETHOXYETHANOL (EGEE) (SARA III)

CAS:110-80-5

RTECS #:KK8050000

OSHA PEL:S,200 PPM

ACGIH TLV:S, 5 PPM; 9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingre

d Name:POLYAMIDE

==== Hazards Identification =====

Effects of Overexposure:INHALATION: DIZZINESS

==== First Aid Measures =====

First Aid:REMOVE FROM SOURCE; OXYGEN IF NECESSARY

==== Fire Fighting Measures =====

Flash Point:75F TCC

Lower Limits:1.3

Upper Limits:15.7

Extinguishing Media:CO2, DRY CHEMICAL

==== Accidental Release Measures =====

Spill Relea

se Procedures:REMOVE ANY SOURCE OF IGNITION AND FLUSH WITH WATER.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN CLOSED CONTAINERS AWAY FROM HEAT OR OPEN FLAME.

=====
Exposure Controls/Personal Protection
=====

Ventilation:LOCAL EXHAUST

Supplemental Safety and Health

ONE PART OF TWO PART SYSTEM. SEE SAME NSN WITH P/N PIGMENTED COMPONENT.
(DO NOT USE WATER EXCEPT FOR COOLING AGENT)

=====
Physical/Chemical Properties
=====

HCC:F4

Appearance and Odor:CLEAR AMBER LIQUID WITH ALCOHOL ODOR

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

NONE

Hazardous Decomposition Products:NONE

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.