

BROADVIEW CHEM CO, SUBSIDIARY OF EMHART CORP. -- STA-LOK PRIMER F -- 8030-00-082-2508
===== Product Identification =====

Product ID:STA-LOK PRIMER F

MSDS Date:01/01/1985

FSC:8030

NIIN:00-082-2508

MSDS Number: BCYBB

=== Responsible Party ===

Company Name:BROADVIEW CHEM CO, SUBSIDIARY OF EMHART CORP.

Emergency Phone Num:312-345-0430

CAGE:KO021

=== Contractor Identification ===

Company Name:BROADVIE

W CHEM CO, SUBSIDIARY OF EMHART CORP.

CAGE:KO021

Company Name:BROADVIEW CHEMICAL CORP SUB OF EMHART INDUSTRIES

Address:2910 S. 18TH AVE

Box:City:BROADVIEW

State:IL

ZIP:60153-4727

Country:US

CAGE:27079

===== Composition/Information on Ingredients =====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

Fraction by Wt: 91.4%

OSHA PEL:350 PPM/450 STEL

ACGIH TLV:350 PPM/450STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ozone Deplet

ing Chemical:1

Ingred Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:SE7555000

Fraction by Wt: 7.4%

OSHA PEL:100 PPM

===== First Aid Measures =====

First Aid:WASH SKIN IMMED WITH SOAP & H*2O & THEN FLUSH WITH H*2O.
FLUSH WITH H*2O FOR 15 MIN, CALL MD. IF INHAL, REMOVE TO FRESH
AIR., GIVE ARTIFICIAL RESPIRATION IF NEEDED & CALL MD.

===== Fire Fighting Measures =====

Flash Point:>212F; 100C, SCC

Extinguishing Media:CO*2, FOAM, DRY CHEMICALS

Fire Fighting Procedures:USE PRESSURE DEMAND SCBA & FULL PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:PRODUCT GIVES OFF PHOSGENE & HCL.

===== Accidental Release Measures =====

Spill Release Procedures:PROVIDE ADEQUATE VENTILATION. SPRINKLE ABSORBENT OVER SPILLED LIQ & SWEEP UP. DISCARD ALL WASTE IN CLOSED CONTAINERS.

===== Handling and Storage =====

Handling and Stor

age Precautions:STORE IN A COOL PLACE AWAY FROM HEAT & FLAMES.

Other Precautions:NO SMOKING IN AREA OF USE. DO NOT USE IN GENERAL VICINITY OF ARC WELDING, OPEN FLAMES OR HOT SURFACES. HEAT &/OR UV RADIATION MAY CAUSE THE FORMATION OF HCL/PHOSGENE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPRVD SELF-CONT BRTH APPAR IN POOR VENT AREA (MFR).

Ventilation:LOCAL EXHAUST RECOMND. MECH VENT IF NEEDED TO KEEP BELOW TL

V

Protective Gloves:RECOMND

Eye Protection:SAFETY GLASSES

Other Protective Equipment:WEAR A FACE SHIELD IF THERE IS SPLASHING.

Supplemental Safety and Health

ADDITIONAL EMERGENCY PHONE NO. 617-777-0100. SPEC: GRADE T. CONTAINER: 4 OZ BOTTLE.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:165-310F

Vapor Density:>1.0

Spec Gravity:>1.0

Evaporation Rate & Reference:1 (CCL*4= 1)

Solubility in Water:INSOLUBLE

Appearance and Odor:GREEN LIQUID

Percent Volatiles by Volume:99

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:CO, CO*2, HCL, PHOSGENE & OTHER TOXIC FUMES.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL METHOD MUST BE IAW FEDERAL, STATE AND LOCAL CODES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by e

lements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.