

GENERAL ELECTRIC CO,TUBE PRODUCTS DIVISION -- 5751 -- 5960-00-082-4139

=====
Product Identification
=====

Product ID:5751

MSDS Date:01/01/1985

FSC:5960

NIIN:00-082-4139

MSDS Number: BCYCF

=== Responsible Party ===

Company Name:GENERAL ELECTRIC CO,TUBE PRODUCTS DIVISION

Address:316 E 9TH STREET

City:OWENSBORO

State:KY

ZIP:42301-2312

Country:US

Info Phone Num:592-685

Emergency Phone Num:502-685-620

0

CAGE:OD426

=== Contractor Identification ===

Company Name:GENERAL ELECTRIC COMPANY

Address:SILICONE PRODUCTS DIVISION

City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330

CAGE:OD426

Company Name:MPD INC.(FORMERLY GENERAL ELECTRIC CO)

Address:316 E 9TH STREET

City:OWENSBORO

State:KY

ZIP:42303-2312

Country:US

Phone:502-685-6200

CAGE:33173

=====
Composition/Information on Ingredients
=====

Ingred Name:RHENIUM 187

=====
Hazards Identification
=====

=====

Effects of Overexposure:HAZ DEGREE DEPENDS ON TYPE/QUANT OF RADIATION.
LATENT EFFECTS:SOMATIC/GENETIC DAMAGE.

===== First Aid Measures =====

First Aid:USE FIRST AID. CALL MEDICAL EMERGENCY CARE. REMOVE/ISOLATE
CONTAMINATED CLOTHING.SHOWER VICTIM(S) W. SOAP & H₂O. DETAIN
PERSONNEL/EQUIPMENT EXPOSED. ADVISE MEDICAL PERSONNEL THAT
VICTIM(S) MAY BE CONTAMINATED.

===== Fire Fighting Measures =====
=====

Extinguishing Media:EXTINGUISH W. AGENT SUITABLE FOR SURROUNDING FIRE.
Fire Fighting Procedures:WEAR CHEMICAL PROTECTIVE SUIT WITH SELF CONTD
BREATHING APP.
Unusual Fire/Explosion Hazard:SOME OF MATL MAY BURN. CONT MAY EXPLODE
IN HEAT OF FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:HANDLE BROKEN DEVICE WITH GLOVES AND FORCEPS.

===== Handling and Storage =====

Handling and Storage Precautions
:SHIELD ACCORDING TO EMITTED RADIATION.
PROTECT FROM FILM/FILM PLATES. KEEP CONTAINERS CLOSED. STORE IN
AREA FOR RADIOACTIVE MATERIALS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SCBA IF INVOLVED IN FIRE, OTHERWISE GAS MASK.
Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN