View NSN Online: https://aerobasegroup.com/nsn/8040-00-083-6494

Product ID:URALANE 8089B MSDS Date:01/01/1987 FSC:8040 NIIN:00-083-6494 **MSDS Number: BCYDG** === Responsible Party === Company Name: FURANE PRODUCTS COMPANY Emergency Phone Num: (818)247-6210 CAGE:00131 === Contractor Identification === Company Name: CIBA SPECIALTY CHEMICALS CORP, N. A. / PERFORMANCE PO LYMERS Address:5121 SAN FERNANDO RD WEST Box:City:LOS ANGELES State:CA ZIP:90039-1011 Country:US Phone:818-247-6210/800-873-1138 CAGE:99384 Company Name: FURANE PRODUCTS COMPANY Phone:(201) 499-2401 CAGE:00131

Ingred Name:1,1 BIS (2-AMINOPHENYLTHIO) METHANE Fraction by Wt: 40%

Ingred Name:UREA/URETHANE PREPOLYMER OF TDI AND BIS-(AMINOPHENYLTHIO) METHANES Fraction by Wt: 20%

Ingred Name:INORGANIC INERT FILLERS Fraction by

Wt: 25% Ingred Name: TRIORTHOCRESYL PHOSPHATE CAS:78-30-8 RTECS #:TD0350000 Fraction by Wt: 15% OSHA PEL:S, 0.1 MG/M3 ACGIH TLV:S, 0.1 MG/M3; 9192 Effects of Overexposure: EYE: VERY IRR; SKIN: IRR; INH: POSSIBLY HARMFUL; ING: POSSIBLY HARMFUL. First Aid:EYES/SKIN:FLUSH EYES W.A LG.AMT OF WTR FOR AT LEAST 15 MIN.GET PROMPT MED.ATTN.WASH SKIN THOROUGH.W.SOA P & WTR.REMOVE CONTAM.CLOTH; ING: DRINK 2 GLASSES OF WTR.SEE DOCTOR.NEVER GIVE ANHTHING BY MOUTH IF UNCONSC. Flash Point:>201F,>94C,CC Extinguishing Media:CO*2,DRY CHEM,WTR SPRAY Fire Fighting Procedures: WEAR CHEMICAL PROTECTIVE SUIT WITH SELF CONTD BRTHG APP. Unusual Fire/Explosion Hazard:NONE Spill Release Procedures: CLEAN UP ALL TRACES OF SPIL L.SHOVEL AS MUCH OF MATL AS POSSIBLE INTO CLN.DRY CONT:ON HARD SURFACES USE ABS.MTL TO PICK UP REMAINDER; ON LOOSE SURFACES SHOVEL UP CONTAM. LAYER. Handling and Storage Precautions: STORE IN COOL, DRY WELL VENTED LOW FIRE RISK AREA. PROTECT FROM HEAT, SHOCK, FRICTION. KEEP CONTAINERS CLOSED. Other Precautions:*** AVOID ALL EYY/SKIN CONTACT ***

Res

piratory Protection:NONE REQD.W.GOOD VENTIL-IF TLV IS EXCEEDED USE NIOSH/MSHA APPVD RESP
Ventilation:NORMAL ROOM VENTILATION.
Protective Gloves:PLASTIC
Eye Protection:SAFETY GLASSES
Other Protective Equipment:SAFETY SHOWER & EYE BATH
Supplemental Safety and Health
MSDS DATED 04-12-85/

HCC:N1 Vapor Density:>1 Spec Gravity:1.28 Evaporation Rate & amp; Reference: