

CORNELL DUBILIER ELEC.DIV.OF FED.PAC.ELEC.CO. -- 200P1690 -- 5910-00-106-1333
===== Product Identification =====

Product ID:200P1690

MSDS Date:01/01/1985

FSC:5910

NIIN:00-106-1333

MSDS Number: BCYVT

=== Responsible Party ===

Company Name:CORNELL DUBILIER ELEC.DIV.OF FED.PAC.ELEC.CO.

Address:61 SPIT BROOK RD SUITE 305

City:NASHUA

State:NH

ZIP:03060

Country:US

Emergency Phone Num:201-694-8600

CAGE:

09023

=== Contractor Identification ===

Company Name:CORNELL DUBILIER ELEC DIV FED PAC ELEC

Address:ONE INTERCHANGE PLZ

Box:B-967

City:WAYNE

State:NJ

ZIP:07470

Country:US

Phone:201-694-8600

CAGE:09023

Company Name:SPRAGUE ELECTRIC CO WORLD HEADQUARTERS

Address:61 SPIT BROOK RD SUITE 305

Box:City:NASHUA

State:NH

ZIP:03060

Country:US

Phone:603-883-5544/FAX 603-880-1910

CAGE:56289

===== Composition/Information on Ingredients =====

Ingred Name:POLYCHLORINATED BIPHENYLS (PCBS) (S

ARA III)
CAS:1336-36-3
RTECS #:TQ1350000
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

=====
===== Hazards Identification =====

Effects of Overexposure:ABSORBED THRU SKIN,LUNGS,INTESTINE.CAUSES
CANCER,LIVER,KIDNEY,STOMACH,EYE,HEARING DISORDER(SUP DATA)

=====
===== First Aid Measures =====

First Aid:EYES:FLUSH W/WATER IMMED.SKIN:WASH W/SOAP IMMED.INHAL:REMOVE
TO FRESH AIR.GIVE ART.RESPIR. AS NEEDED.INGEST:GET MEDICAL
ATTN.GIVE LARGE
QTY OF SALT WATER,INDUCE VOMITING,BUT DO NOT MAKE
UNCONSCIOUS PERSON VOMIT.

=====
===== Accidental Release Measures =====

Spill Release Procedures:USE ABSORBENT & DIKES TO PREVENT
RUNOFF.ISOLATE & NOTIFY PROPER AUTHORITIES.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORAGE MUST FOLLOW RCRA REQUIREMENTS.
Other Precautions:LARGE CAPACITORS OF 3 LBS OR MORE PCB REQUIRE LABELS
IN STORAGE, USE & TRANSPORTATION

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:SUPPLIED AIR W/FULL FACEPIECE,HELMET OR HOOD
Ventilation:LOCAL EXHAUST
Protective Gloves:RUBBER-IMPERV
Eye Protection:GOGGLES,FACE SHIELD
Other Protective Equipment:FULL CLOTHING TO PREVENT SKIN CONTACT
Supplemental Safety and Health
OVEREXPOS:CAN CAUSE FORMATION OF CYSTS.CAUSES STILLBIRTHS.IRRITATES
EYES,NOSE,THROAT.

=====
===== Physical/Chemical Properties =====

HCC:Z

Appearance and Odor:LIGHT STRAW COLORED LIQUID,AROMATIC ODOR

===== Stability and Reactivity Data =====

STRONG OXIDIZERS

===== Disposal Considerations =====

Waste Disposal Methods:CONTROLLED DISPOSAL REQUIRED-GENERALLY HIGH TEMPERATURE INCINERATION.ONLY APPROVED DISPOSAL OPERATOR PERMITTED.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Departmen

t

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.