

TURCO PRODUCTS, INC. -- TURCOAT LIQUID ACCELAGOLD -- 8030-00-142-9272

=====
Product Identification
=====

Product ID:TURCOAT LIQUID ACCELAGOLD

MSDS Date:05/01/1989

FSC:8030

NIIN:00-142-9272

MSDS Number: BDBSP

=== Responsible Party ===

Company Name:TURCO PRODUCTS, INC.

Address:24700 SOUTH MAIN STREET

Box:6200

City:CARSON

State:CA

ZIP:90749

Country:US

Info Phone Num:714-890-3600

Emergency Phone Num:

614-387-6200

CAGE:0BYN5

=== Contractor Identification ===

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

Company Name:TURCO PRODUCTS, INC.

Address:7300 BOLSA AVE

Box:6200

City:WESTMINSTER

State:CA

ZIP:92684-3600

Country:US

Phone:614-387-6200

CAGE:0BYN5

Company Name:TURCO PRODUCTS, INC. DIVISON OF ELF ATOCHEM NORTH AMERICA

Address:2000 MARKET ST

Box:City:PHILADELPHIA

State:PA

ZIP:19103-3222

Country:US

Phone:21

5-419-7890
CAGE:61102

=====
Composition/Information on Ingredients
=====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:PRODUCT IS CORROSIVE TO BODY TISSUES,
PRODUCING DEEP PANETRATING ULCERS.
Explanation of Carcinogenicity:HEXAVALENT CHROME COMPOU
NDS ARE LISTED
AS CARCINOGENS. SEE INDIVIDUAL REPORTS FOR DETAILS.
Effects of Overexposure:EYE: SEVERE IRRITATION,BURNS,POSSIBLE PERMINENT
DAMAGE. SKIN IRRITATION,POSSIBLE BURNS AND IT MAY SENSITIZE ACUTE
ALLERGIC REACTION. INHALED:(IF MISTED) RESPIRATORY
IRRITATION,POSSIBLE DAMAGE. INGES TED:MAY BE HARMFUL IF SWALLOWED,
BOTH CHROME AND FLUORIDES BEING TOXIC.
Medical Cond Aggravated by Exposure:MAY AGGRAVATE PRE-EXISTING
DISORDERS OF THE LIVER,KIDNEY AND G/I TRACT.

=====
First Aid Measures
=====

First Aid:EYE:FLUSH W/WATER 15 MIN, HOLD LIDS OPEN. SKIN:REMOVE
CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. WASH WITH SOAP &
WATER. INHALED:REMOVE TO FRESH AIR. RESTORE BREATHING AS NEEDED.
INGESTED:GIVE 2 LARGE GLASSES OF MILK OR WATER AND IMMEDIATELY
INDUCE VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET
IMMEDIATE MEDICAL CARE.

=====
Fire Fighting Measures
=====

Flash Point:NON-FLAMMABLE
Extinguishing Media:PRODUCT IS NON FLAMMABLE. EXTINGUISH FIRE WITH
MEDIA APPROPRIATE FOR SOURCE OF FIRE.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.
Unusual Fire/Explosion Hazard:FIRE RUNOFF MAY CONTAIN CHROME. KEEP OUT
OF WATERWAYS.

=====
Accidental Release Measures
=====

Spill

Release Procedures:WIPE UP WITH CLOTH OR PAPER OR ABSORB WITH
INERT MATERIAL. DO NOT LET ENTER WATERWAYS.

Neutralizing Agent:NONE SPECIFIED.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY AREA AWAY FROM
INCOMPATIBLE MATERIALS. POUR SLOWLY WHEN MIXING TO AVOID
SPLASHING. REMOVE CAP SLOWLY

Other Precautions:RINSE CAN BEFORE DISPOSING AND COLLECT RINSINGS FOR
DISPOSAL AS CHROME CONTAINING WASTE.

=====

==== Exposure Controls/Personal Protection =====

Respiratory Protection:RESPIRATOR WILL NOT NORMALLY BE NECESSARY. USE
NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR OR RESPIRATOR FOR ACID
MIST IF EXPOSURE IS ABOVE THE TLV/PEL. SEE 29 CFR 1910.134 FOR
REGULATIONS PERTAINING TO RESPIRATOR USE.

Ventilation:NORMAL ROOM VENTILATION IS USUALLY SUFFICIENT. SUPPLEMENT
WITH LOCAL EXHAUST IF MIST IN EXCESS OF PEL/TLV IS GENERATED.

Protective Gloves:CHROME/ACID RESISTANT (VITON)

Eye Protection:GOGGLES AND/OR FACE SHIELD

Other Protective Equipment:SAFETY SHOWER AND EYE WASH STATION, WEAR
ACID RESISTANT APRON & BOOTS IF EXPOSURE DICTATES.

Work Hygienic Practices:USE STRICT CHEMICAL HYGIENE PRACTICE. AVOID ALL
CONTACT POSSIBLE.

Supplemental Safety and Health
NUMBER 5651-2.

===== Physical/Chemical Properties =====

HCC:C1

Boiling Pt:B.P. Text:212F,100C

Vapor Pres:25 MM

Vapor Density: