

ABLESTIK LABORATORIES -- ABLEBOND 16-1 PART B -- 8040-00-144-9657

=====
Product Identification
=====

Product ID:ABLEBOND 16-1 PART B

MSDS Date:01/01/1987

FSC:8040

NIIN:00-144-9657

Kit Part:Y

MSDS Number: BDBYY

=== Responsible Party ===

Company Name:ABLESTIK LABORATORIES

Emergency Phone Num:(213)532-9341

CAGE:9V874

=== Contractor Identification ===

Company Name:ABLESTIK LABS

Address:833 WEST 182ND

ST

Box:9067

City:GARDENA

State:CA

ZIP:90248

Country:US

Phone:213-532-9341

CAGE:9V874

Company Name:ABLESTIK LABS SUB OF NATIONAL STARCH AND CHEMICAL

Address:20021 SUSANA RD

Box:City:COMPTON

State:CA

ZIP:90221

Country:US

Phone:310-764-4600

CAGE:21109

=====
Composition/Information on Ingredients
=====

Ingred Name:DIETHYLENE TRIAMINE

CAS:111-40-0

RTECS #:IE1225000

Fraction by Wt: 12%

OSHA PEL:1 PPM

ACGIH TLV:S, 1 PPM; 9192

=====
Hazards Identification
=====

=====

Effects of

Overexposure:EYE:BURN;SKIN:IRR,BURN;INH:IRR,DISCOMFORT,BRONCHITIS
SYMPTOMS;ING:MODERATELY TOXIC.

===== First Aid Measures =====

First Aid:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEED. SKIN:WASH WITH
SOAP & WATER. EYES:FLUSH WITH WATER 15 MIN. KEEP WARM AND
QUIET.ING:GIVE WTR OR MILK.DO NOT INDUCE VOMIT-GET MED ATTN FOR ANY
CONDITION.

===== Fire Fighting Measures =====

Flash P

oint:>200F,>93C,TCC

Extinguishing Media:CO*2, FOAM, DRY CHEM.WATER SPRAY

Fire Fighting Procedures:WEAR SELF-CNTND BRTHG APP

Unusual Fire/Explosion Hazard:DENSE SMOKE MAY BE LIBERATED.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP WITH SOLVENT SATURATED TOWELING AND
COLLECT IN AN APPROPRIATE CONTAINER FOR DISPOSAL

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY WEL

L VENTED LOW FIRE

RISK AREA. PROTECT FROM HEAT,SHOCK,FRICION. KEEP CONTAINERS
CLOSED.

Other Precautions:AVOID CONTACT W.SKIN,EYES & CLOTHING.AVOID INHALATION
OF VAPORS.GOOD HOUSEKEEPING IS REQUIRED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPVD ORG.VAP.RESP.IF NEEDED.

Ventilation:USE W.ADEQ.VENTIL-LOCAL EXH.RECOMMENDED IF TLV IS EXCEEDED.

Protective Gloves:RUBBER

Eye Protection:GOGGLES W.SIDE SHIELD.

Other Protective Equipme

nt:WEAR FULL PROTECTIVE CLOTHING.
Supplemental Safety and Health
MSDS DATED 07-24-86/LD50 ORAL RAT 1080 MG/KG/PART A.KEY1:N1.

===== Physical/Chemical Properties =====

HCC:F5
Boiling Pt:B.P. Text:DECOMPOSES
Spec Gravity:0.96
Solubility in Water:SLIGHT
Appearance and Odor:AMBER LIQ.W.AMMONIACAL ODOR.
Percent Volatiles by Volume:NEGL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGTS,STRONG
LEWIS OR MINERAL ACIDS.
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:CO,OXIDES OF NITROGEN,ALDEHYDES
Conditions to Avoid Polymerization:EXCESSIVE HEAT & TOXIC GASES WHEN
MIXING MORE THAN 1 POUND.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN APPVD CHEMICAL DISPOSAL AREA OR IN A
MANNER WHICH COMPLIES WITH ALL LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.